

SSWb TM 9-1005-224-24P dtd Jul 87 8
- 23PP dtd 10-86 410

TM 9-1005-262-24P

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

ORGANIZATIONAL, DIRECT SUPPORT, AND GENERAL SUPPORT
MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LISTS

ARMAMENT SUBSYSTEM, HELICOPTER,

7.62 MILLIMETER MACHINE GUN:

DOOR MOUNTED, LIGHTWEIGHT, M23

(1005-907-0720)

(USED ON UH-1D HELICOPTER);

ARMAMENT SUBSYSTEM, HELICOPTER,

7.62 MILLIMETER MACHINE GUN:

DOOR MOUNTED, LIGHTWEIGHT, M24

(1005-763-1404)

(USED ON CH-47A HELICOPTER);

AND ARMAMENT SUBSYSTEM, HELICOPTER,

7.62 MILLIMETER MACHINE GUN:

RAMP MOUNTED, LIGHTWEIGHT, M41

(1005-087-2046)

(USED ON CH-47A HELICOPTER)

HEADQUARTERS, DEPARTMENT OF THE ARMY

JUNE 1971

Digitized by:

TECHNICAL MANUAL

NO. 9-1005-262-24P

HEADQUARTERS,
DEPARTMENT OF THE ARMY
Washington, D. C., 11 June 1971

ORGANIZATIONAL, DIRECT SUPPORT, AND GENERAL SUPPORT

MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LISTS

ARMAMENT SUBSYSTEM, HELICOPTER,

7.62 MILLIMETER MACHINE GUN: M23;

ARMAMENT SUBSYSTEM, HELICOPTER,

7.62 MILLIMETER MACHINE GUN: M24;

AND

ARMAMENT SUBSYSTEM, HELICOPTER,

7.62 MILLIMETER MACHINE GUN: M41

This manual is current as of 27 April 1971

| | | Paragraph | Page |
|---------|--|-----------|------|
| Section | I. LIST OF ILLUSTRATIONS..... | | ii |
| | INTRODUCTION..... | | 1 |
| | Scope..... | 1 | 1 |
| | General..... | 2 | 1 |
| | Explanation of columns..... | 3 | 1 |
| | Special information..... | 4 | 3 |
| | How to locate repair parts..... | 5 | 3 |
| | Abbreviations..... | 6 | 4 |
| | Federal supply codes for manufacturers..... | 7 | 4 |
| | Recommendations for maintenance publication improvements..... | 8 | 4 |
| Section | II. PRESCRIBED LOAD ALLOWANCE..... | | 5 |
| Section | III. ORGANIZATIONAL REPAIR PARTS LIST..... | | 13 |
| Section | IV. ORGANIZATIONAL TOOLS, TEST, AND SUPPORT EQUIPMENT LIST..... | | 23 |
| Section | V. DIRECT SUPPORT AND GENERAL SUPPORT REPAIR PARTS LIST..... | | 27 |
| Section | VI. DIRECT SUPPORT AND GENERAL SUPPORT TOOLS, TEST AND SUPPORT EQUIPMENT LIST..... | | 43 |
| Section | VII. INDEX — FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER..... | | 46 |

*This manual supersedes that portion of TM 9-1005-262-15, dated 20 February 1968, pertaining to organizational, direct, and gneral support maintenance repair parts.

LIST OF ILLUSTRATIONS

| Number | Title | Page |
|--------|--|------|
| 1. | Components of Armament Subsystem M23..... | 52 |
| 2. | Components of Armament Subsystem M24..... | 53 |
| 3. | Components of Armament Subsystem XM41..... | 53 |
| 4. | 7.62 Millimeter Machine Gun M60D — Partially Exploded View (Sheet 1 of 2)..... | 54 |
| 4. | 7.62 Millimeter Machine Gun M60D — Partially Exploded View (Sheet 2 of 2)..... | 55 |
| 5. | Barrel Assembly with Bipod Assembly — Partially Exploded View..... | 55 |
| 6. | Bipod Assembly — Partially Exploded View..... | 56 |
| 7. | Cover Assembly — Exploded View..... | 57 |
| 8. | Cartridge Tray Assembly — Exploded View..... | 58 |
| 9. | Grip and Trigger Assembly — Partially Exploded View..... | 59 |
| 10. | Rear Sight Assembly — Exploded View..... | 60 |
| 11. | Sear and Safety Housing Assembly — Exploded View..... | 61 |
| 12. | Breech Bolt Assembly — Exploded View..... | 61 |
| 13. | Operating Rod Assembly — Partially Exploded View..... | 62 |
| 14. | Handle Assembly — Exploded View..... | 62 |
| 15. | Ejection Control Bag — Partially Exploded View..... | 63 |
| 16. | Mount Assembly M23 — Exploded View..... | 64 |
| 17. | Pintle Post Assembly — Exploded View..... | 65 |
| 18. | Ammunition Box and Cover Assembly — Exploded View..... | 65 |
| 19. | Flexible Chute Assembly — Partially Exploded View..... | 65 |
| 20. | Chute Brace Assembly — Exploded View..... | 66 |
| 21. | Ammunition Can Assembly — Partially Exploded View..... | 66 |
| 22. | Mount Assembly M24 — Exploded View - Left Side Shown..... | 67 |
| 23. | Rear Ramp Mount Assembly M41 — Exploded View..... | 68 |
| 24. | Combination Screwdriver and Reamer Wrench — Exploded View..... | 68 |
| 25. | Tools and Equipment (sheet 1 of 2)..... | 69 |
| 25. | Tools and Equipment (sheet 2 of 2)..... | 70 |

ORGANIZATIONAL, DIRECT SUPPORT, AND GENERAL

SUPPORT MAINTENANCE REPAIR PARTS

AND SPECIAL TOOLS LISTS

Section I. INTRODUCTION

1. Scope.

This manual lists repair parts, special tools, and equipment required for the performance of organizational, direct support, and general support maintenance of the Armament Subsystems M23, M24 and M41.

2. General.

The repair parts and special tools lists are divided into the following sections:

a. Prescribed Load Allowance (PLA)—Section II. A composite listing of repair parts, special tools, test and support equipment having quantitative allowances for initial stockage at the organizational level.

b. Repair Parts (Organizational)—Section III. A list of repair parts authorized for the performance of maintenance at the organizational level, in figure and item number sequence.

c. Organizational Tools, Test and Support Equipment—Section IV. A list of tools, test, and support equipment authorized for the performance of maintenance at the organizational level.

d. Direct Support and General Support repair parts list—Section V. A list of repair parts authorized for the performance of maintenance at the direct support and general support levels, in figure and item number sequence.

e. Direct Support and General Support Tools, Test and Support Equipment—Section VI. A list of tools, test and support equipment authorized for the performance of maintenance at direct support and general support levels.

f. Federal Stock Number and Reference Number Index—Section VII. A list of Federal stock numbers in ascending numerical sequence, followed by a list of reference numbers appearing in all the listings, in ascending alpha-numeric sequence, cross-referenced to the illustration figure number and item number.

3. Explanation of Columns.

The following provides an explanation of columns in the tabular lists in Sections II through VII.

a. Source, Maintenance, and Recoverability Codes (SMR).

(1) Source Code. Indicates the selection status and source for the listed item. Source codes used are:

| Code | Explanation |
|------|--|
| P | Repair parts which are stocked in or supplied from the GSA / DSA, or Army supply system and authorized for use at indicated maintenance categories. |
| P2 | Repair parts which are procured and stocked for insurance purposes because the combat or military essentiality of the end item dictates that a minimum quantity be available in the supply system. |
| P9 | Assigned to items which are NSA design controlled: unique repair parts, special tools, test, measuring and diagnostic equipment, which are stocked and supplied by the Army COMSEC logistic system, and which are not subject to the provisions of AR 380-41. |
| P10 | Assigned to items which are NSA design controlled: special tools, test, measuring and diagnostic equipment for COMSEC support, which are accountable under the provisions of AR380-41, and which are stocked and supplied by the Army COMSEC logistic system. |
| M | Repair parts which are not procured or stocked, but are to be manufactured at indicated maintenance levels. |
| A | Assemblies which are not procured or stocked as such, but which are made up of two or more units. Such component units carry individual stock numbers and descriptions, are procured and stocked separately and can be assembled to form the required assembly at indicated maintenance categories. |
| X | Parts and assemblies which are not procured or stocked and the mortality of which normally is below that of the applicable end item or component. The failure of such part or assembly should result in retirement of the end item from the supply system. |
| X1 | Repair parts which are not procured or stocked. The requirement for such items will be filled by use of the next higher assembly or component. |
| X2 | Repair parts which are not stocked. The indicated maintenance category requiring such repair parts will attempt to obtain same through cannibalization. Where such repair parts are not obtainable through cannibalization, requirements will be requisitioned, with accompanying justification, through normal supply channels. |

| Code | Explanation |
|------|--|
| G | Major assemblies that are procured with PEMA funds for initial issue only as exchange assemblies at DSU and GSU level. These assemblies will not be stocked above DS and GS level or returned to depot supply level. |

(2) Maintenance Code. Indicates the lowest category of maintenance authorized to install the listed item. The maintenance level codes are:

| Code | Explanation |
|------|-----------------------------|
| C | Operator / Crew maintenance |
| O | Organizational maintenance |
| F | Direct support maintenance |
| H | General support maintenance |
| D | Depot maintenance |

(3) Recoverability Code. Indicates whether unserviceable items should be returned for recovery or salvage. Items not coded are expendable. Recoverability codes are:

| Code | Explanation |
|------|--|
| R | Repair parts (assemblies and components) which are considered economically reparable at direct and general support maintenance levels. When the maintenance capability to repair these items does not exist, they are normally disposed of at the general support level. When supply considerations dictate, some of these repair parts may be listed for automatic return to supply for depot level repair as set forth in AR 710-50. When so listed, they will be replaced on an exchange basis. |
| S | Repair parts and assemblies which are economically reparable at DSU and GSU activities and which are normally furnished by supply on an exchange basis. When items are determined by a GSU to be uneconomically reparable, they will be evacuated to a depot for evaluation and analysis before final disposition. |
| T | High dollar value recoverable repair parts which are subject to special handling and are issued on an exchange basis. Such repair parts normally are repaired or overhauled at depot maintenance activities. |
| U | Repair parts specifically selected for salvage by reclamation units because of precious metal content, critical materials, or high dollar value reusable casings or castings. |

b. Federal Stock Number. Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

c. Description. Indicates the Federal item name and any additional description of the item required. The abbreviation "w/e" when used as a part of the nomenclature, indicates the Federal stock number includes all armament, equipment, accessories, and repair parts issued with the item. A part number or other reference number is followed by the applicable five-digit Federal supply code for manufacturers in parentheses. Repair parts quantities included in the kits, sets, and assemblies are shown in front of the repair part name. Usable on Codes are explained in paragraph 4.

d. Unit of Measure (U/M). A 2 character alphabetic abbreviation indicating the amount or quantity of the item upon which the allowances are based, e.g., ft, ea, pr, etc.

e. Quantity Incorporated in Unit. Indicates the quantity of the item used in the assembly group. A "V" appearing in this column in lieu of a quantity indicates that a definite quantity cannot be indicated (e.g., shims, spacers, etc.).

f. 15-Day Organizational Maintenance Allowances.

(1) The Allowance Columns are divided into four subcolumns. Indicated in each subcolumn opposite the first appearance of each item is the total quantity of the item authorized for the number of equipments supported. Subsequent appearances of the same item will have the letters "REF" in the allowance columns. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.

(2) The quantitative allowances for organizational level of maintenance represents one initial prescribed load for a 15-day period for the number of equipments supported. Units and organizations authorized additional prescribed loads will multiply the number of prescribed loads authorized by the quantity of repair parts reflected in the appropriate density column to obtain the total quantity of repair parts authorized.

(3) Organizational units providing maintenance for more than 100 of these equipments shall determine the total quantity of parts required by converting the equipment quantity to a decimal factor by placing a decimal point before the next to last digit of the number to indicate hundredths, and multiplying the decimal factor by the parts quantity authorized in the 51-100 allowance column. Example, authorized allowance for 51-100 equipments is 12; for 140 equipments multiply 12 by 1.40 or 16.80 rounded off to 17 parts required.

(4) Subsequent changes to allowances will be limited as follows: No change in the range of items is authorized. If additional items are considered necessary, recommendation should be forwarded to: Commanding General, Headquarters, U. S. Army Weapons Command, ATTN: AMSWE-MAP, Rock Island, Illinois 61201, for exception or revision to the allowance list. Revisions to the range of items authorized will be made by the U. S. Army Weapons Command based upon engineering experience, demand data or TAMMS information.

g. 30-Day DS/GS Maintenance Allowances. NOTE: Allowances in GS Column are for GS Maintenance only.

(1) The allowance columns are divided into three subcolumns. Indicated in each subcolumn, opposite the first appearance of each item, is the total quantity of the item authorized for the number

of equipments supported. Subsequent appearances of the same item will have the letters "REF" in the applicable allowance columns. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.

(2) The quantitative allowances for DS/GS levels of maintenance will represent initial stockage for a 30-day period for the number of equipments supported.

(3) Determination of the total quantity of parts required for maintenance of more than 100 of these equipments can be accomplished by converting the equipment quantity to a decimal factor by placing a decimal point before the next to last digit of the number to indicate hundredths, and multiplying the decimal factor by the parts quantity authorized in the 51-100 allowance column. Example, authorized allowance for 51-100 equipments is 40; for 150 equipments multiply 40 by 1.50 or 60 parts required.

h. 1-year Allowances Per 100 Equipment / Contingency Planning Purposes. Indicates opposite the first appearance of each item the total quantity required for distribution and contingency planning purposes. The range of items indicates total quantities of all authorized items required to provide for adequate support of 100 equipments for one year.

i. Depot Maintenance Allowance Per 100 Equipments. Indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipments. Subsequent appearances of the same item will have the letters "REF" in the allowance column. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.

j. Illustration.

(1) Figure Number. Indicates the figure number of the illustration in which the item is shown.

(2) Item Number. Indicates the callout number used to reference the item in the illustration.

4. Special Information.

a. Identification of the Usable on Codes included in Column 3 of Sections III, IV, V, and VI of this publication are:

| Code | Used on |
|------|---------------------------------|
| A | Armament Subsystem M23 |
| B | Armament Subsystem M24 |
| C | Armament Subsystem M41 |
| D | Armament Subsystems M23 and M24 |
| E | Armament Subsystems M24 and M41 |

Absence of a Usable on Code indicates item is used on each of the Armament Subsystems M23, M24, and M41.

b. Action Change Codes indicated in the left hand margin of the listing page denote the following:

| | |
|---|--|
| N | Indicates an added item not included in previous publications. |
| C | Indicates a change in data. |
| F | Indicates a change in PSN only. |

c. The illustrations referenced in the organizational repair parts list are those prepared for the DS/GS repair parts list; however, only those parts assigned a maintenance code "O" are listed and only those parts are authorized for requisitioning by organizational personnel.

d. In addition to Direct and General Support maintenance repair parts, Depot maintenance repair parts also are listed in the DS/GS section of this manual.

e. The following publications pertain to the Armament Subsystems M23, M24, and M41 and their components.

| | |
|------------------|---|
| TM 9-1005-262-15 | Operator, Organizational, Direct Support, General Support, and Depot Maintenance Manual (Including Repair Parts and Special Tools lists); Armament Subsystem M23, Armament Subsystem M24, and Armament Subsystem M41. |
| LO 9-1005-262-15 | Lubrication Order; Armament Subsystem M23, Armament Subsystem M24, and Armament Subsystem M41. |

5. How to Locate Repair Parts.

a. When Federal stock number or reference number is unknown.

(1) First. Using the table of contents, determine the functional subgroup, i.e., engine, engine assembly, transmission, transmission assembly, within which the repair part belongs. This is necessary since illustrations are prepared for functional groups or subgroups, and listings are divided into the same groups.

(2) Second. Find the illustration covering the functional group or subgroup to which the repair part belongs.

(3) Third. Identify the repair part on the illustration and note the illustration figure and item number of the repair part.

(4) Fourth. Using the Repair Parts Listing, find the functional group or subgroup to which the repair part belongs and locate the illustration figure and item number noted on the illustration.

b. When Federal stock number or reference number is known:

(1) First. Using the Index of Federal Stock Numbers and Reference Numbers find the pertinent Federal stock number or reference number. This index is in ascending FSN sequence followed by a list of reference numbers in alpha-numeric

sequence, cross-referenced to the illustration figure number and item number.

(2) Second. Using the Repair Part Listing, find the functional group or subgroup of the repair part and the illustration figure number and item number referenced in the Index of Federal Stock Numbers and Reference Numbers.

6. Abbreviations

| Abbreviation | Explanation |
|--------------|-------------------------------------|
| BNDL | bundle |
| CAL | caliber |
| CTA | Common-type table of allowances |
| DIA | diameter |
| ENV | envelope |
| LG | long |
| LH | left hand |
| NOM | nominal |
| RH | right hand |
| THK | thick |
| TOE | Table of Organization and Equipment |
| TU | tube |
| UNF | Unified fine thread |
| W/E | with equipment |
| WP | waterproof |

7. Federal Supply Codes for manufacturers.

| Codes | Manufacturers |
|-------|--|
| 19204 | Rock Island Arsenal, Rock Island, Illinois 61201 |
| 19205 | *Springfield Armory, Springfield, Massachusetts |
| 19207 | Army Tank-Automotive Center, Warren, Michigan |
| 80049 | Dept. of the Air Force, Washington, D. C. |
| 81348 | Federal Specifications Promulgated by General Services Administration |
| 81349 | Military Specifications Promulgated by Standardization Div., Directorate of Logistic Services, DSA |
| 88044 | Aeronautical Standards Group, Dept. of Navy and Air Force |
| 96906 | Military Standards Promulgated by Standardization Div., Directorate of Logistic Services, DSA |

8. Recommendations for Maintenance Publication Improvements.

Report of errors, omissions and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028, Recommended Changes to Publications, and forwarded direct to Commanding General, Headquarters, U. S. Army Weapons Command, ATTN: AMSWE-MAP, Rock Island Arsenal, Rock Island, Illinois 61201.

Section II. PRESCRIBED LOAD ALLOWANCE

| (1) Federal stock number | Description | Usable on code | (3) 15-Day organizational maintenance alw | | | |
|-----------------------------------|--|----------------|---|-------------|--------------|---------------|
| | | | (a) 1-5 | (b) 6-20 | (c) 21-50 | (d) 51-100 |
| | ARMAMENT SUBSYSTEM, HELICOPTER, 7.62 MILLIMETER MACHINE GUN: M23 W/E 8428049 | | | | | |
| 1005-903-1088 | BAG, EJECTION CONTROL..... 11699714 (19205) | | | 1 | 1 | 2 |
| | ARMAMENT SUBSYSTEM, HELICOPTER, 7.62 MILLIMETER MACHINE GUN: M24 W/E 8427091 | | | | | |
| 1005-903-1088 | BAG, EJECTION CONTROL:..... 11699714 (19205) | | .. | REF | REF | REF |
| 1005-903-1090 | CAN ASSEMBLY, AMMUNITION: 11699679 (19205) | | .. | .. | 1 | 1 |
| | ARMAMENT SUBSYSTEM, HELICOPTER, 7.62 MILLIMETER MACHINE GUN: M41 W/E 8436598 | | | | | |
| 1005-903-1088 | BAG, EJECTION CONTROL:..... 11699714 (19205) | | .. | REF | REF | REF |
| 1005-903-1090 | CAN ASSEMBLY, AMMUNITION:..... 11699679 (19205) | | .. | .. | REF | REF |
| | BAG, EJECTION CONTROL: 11699714 | | | | | |
| 1005-903-1039 | SPRING, HELICAL, TORSION:..... 11699712 (19205) | | .. | 1 | 1 | 2 |
| 1005-903-1040 | LATCH, SAFETY, REAR BRACKET:..... 11699711 (19205) | | .. | 1 | 2 | 3 |
| 1005-903-1146 | BAG, EMPTY CARTRIDGE:..... 11699740 (19205) | | .. | 1 | 2 | 4 |
| 5315-753-3635 | PIN, SPRING: TABULAR, COILED..... 3/32 DIA, 3/8 LG MS51923-104 (96906) | | .. | 1 | 1 | 2 |
| 5315-815-1405 | PIN, COTTER:..... MS24665-151 (96906) | | .. | .. | .. | 100 |
| 5315-903-1038 | PIN, STRAIGHT, HEADED: 11699713 (19205) | | .. | 1 | 1 | 2 |
| | BARREL ASSEMBLY WITH BIPOD ASSEMBLY 7269027 | | | | | |
| 1005-608-5004 | EXTENSION, GAS CYLINDER:..... 7269030 (19205) | | .. | 1 | 1 | 2 |
| 1005-608-5005 | NUT, GAS CYLINDER:..... 7269031 (19205) | | .. | 1 | 2 | 3 |
| 1005-875-4350 | PISTON, GAS:..... 7791247 (19205) | | .. | 1 | 2 | 3 |
| 1005-987-9907 | PLUG, GAS CYLINDER:..... 7792093 (19205) | | .. | 1 | 2 | 3 |
| 5310-608-5009 | WASHER, KEY:..... 7269035 (19205) | | 1 | 3 | 6 | 10 |
| 9505-293-4208 | WIRE, STEEL, CORROSION RESISTING: MS20995C32 (96906) | | .. | .. | 1 | 1 |
| | BOLT ASSEMBLY, BREECH 11010357 | | | | | |
| 1005-608-5037 | ACTUATOR ASSEMBLY, CAM:..... 7269063 (19205) | | .. | 1 | 2 | 3 |
| 1005-608-5039 | BEARING, FIRING PIN:..... 7269065 (19205) | | .. | 1 | 1 | 2 |

* Responsibility for Springfield Armory (19205) has been assumed by Rock Island Arsenal.

Section II. PRESCRIBED LOAD ALLOWANCE —Continued

| (1) Federal stock number | Description Usable on code | (3) 15-Day organizational maintenance alw | | | |
|-----------------------------------|---|---|-------------|--------------|---------------|
| | | (a) 1-5 | (b) 6-20 | (c) 21-50 | (d) 51-100 |
| | BOLT ASSEMBLY, BREECH 11010357—Continued | | | | |
| 1005-608-5057 | PLUNGER, EXTRACTOR:..... 7269083 (19205) | 1 | 2 | 4 | 7 |
| 1005-608-5059 | SPRING, HELICAL, COMPRESSION:..... 7269085 (19205) | 2 | 6 | 13 | 22 |
| 1005-608-5060 | SPRING, HELICAL, COMPRESSION:..... 7269086 (19205) | 1 | 4 | 8 | 14 |
| 1005-608-5061 | SPRING, HELICAL, COMPRESSION:..... 7269087 (19205) | .. | 1 | 2 | 4 |
| 1005-779-6030 | EXTRACTOR, CARTRIDGE:..... 7790907 (19205) | 1 | 4 | 8 | 14 |
| 1005-872-4442 | EJECTOR, CARTRIDGE:..... 11010375 (19205) | 2 | 6 | 13 | 22 |
| 1005-872-4443 | PIN, FIRING:..... 11010376 (19205) | 2 | 6 | 14 | 24 |
| 1005-872-4445 | PLUG ASSEMBLY, BOLT:..... 7791523 (19205) | 2 | 5 | 11 | 20 |
| 5315-839-0901 | PIN, SPRING:..... MS39086-81 (96906) | .. | .. | 1 | 1 |
| 5315-994-9648 | PIN, LOCK:..... 7792920 (19205) | 1 | 2 | 4 | 6 |
| | BRACE ASSEMBLY, CHUTE 11699819 | | | | |
| 1005-999-3053 | CLAMP ASSEMBLY, SPRING RETAINER:..... 11699822 (19205) | .. | 1 | 1 | 2 |
| 1005-999-3054 | SPRING, CHUTE BRACE ASSEMBLY:..... 11699823 (19205) | .. | 1 | 1 | 2 |
| 1005-999-3055 | CLAMP ASSEMBLY, STUD:..... 11699825 (19205) | .. | 1 | 1 | 2 |
| 5310-263-2862 | NUT, SELF-LOCKING, HEXAGON:..... MS21045C3 (96906) | .. | 1 | 2 | 3 |
| 5310-982-4988 | NUT, SELF-LOCKING, HEXAGON:..... MS21045C4 (96906) | .. | 100 | 100 | 200 |
| | CAN ASSEMBLY, AMMUNITION 11699679 | | | | |
| 1005-903-1091 | PLUNGER, HOLDING:..... 11699683 (19205) | .. | 1 | 1 | 2 |
| 1005-903-1092 | SPRING, HELICAL, COMPRESSION:..... 11699684 (19205) | .. | .. | 1 | 1 |
| 5315-013-7137 | PIN, COTTER: 060 DIA. 1/4 OUT- SIDE EYE DIA. 5/64 HOLE SIZE MS24665-814 (96906) | 1 | 2 | 4 | 6 |
| 5315-087-8226 | PIN, STRAIGHT, HEADED:..... MS20392-2C21 (96906) | .. | .. | 1 | 1 |
| 5320-061-8216 | RIVET, SOLID:..... MS20613-4P10 (96906) | .. | .. | 1 | 1 |
| | CHUTE AMMUNITION FLEXIBLE: 7.62 MILLIMETER 7792346-5 | | | | |
| 1005-972-8126 | LINK, AMMUNITION CHUTE:..... 7792343 (19205) | .. | 3 | 6 | 11 |
| 1005-972-8127 | FITTING, BOX END:..... 7792344 (19205) | .. | 1 | 2 | 4 |
| 1005-972-8128 | FITTING, GUN END:..... 7792345 (19205) | .. | 1 | 2 | 4 |

Section II. PRESCRIBED LOAD ALLOWANCE —Continued

| (1) Federal stock number | Description Usable on code | (3) 15-Day organizational maintenance alw | | | |
|-----------------------------------|---|---|-------------|--------------|---------------|
| | | (a) 1-5 | (b) 6-20 | (c) 21-50 | (d) 51-100 |
| | COVER ASSEMBLY 7269114 | | | | |
| 1005-608-5118 | LEVER, FEED:..... 7269145 (19205) | .. | 1 | 1 | 2 |
| 1005-608-5119 | CLIP, SPRING LEVER:..... 7269146 (19205) | .. | 1 | 2 | 3 |
| 1005-608-5089 | GUIDE, CARTRIDGE, FRONT:..... 7269116 (19205) | .. | 1 | 2 | 4 |
| 1005-608-5090 | GUIDE, CARTRIDGE, REAR:..... 7269117 (19205) | .. | 1 | 2 | 4 |
| 1005-608-5093 | PAWL ASSEMBLY, FEED:..... 7269120 (19205) | .. | 1 | 2 | 3 |
| 1005-912-1146 | SPRING, HELICAL, TORSION:..... 11686315 (19205) | .. | 1 | 2 | 3 |
| 1005-999-6003 | CAM ASSEMBLY, FEED:..... 11699814 (19205) | .. | 1 | 2 | 4 |
| | GRIP AND TRIGGER ASSEMBLY 11699751 | | | | |
| 1005-909-3012 | SPRING, HELICAL, COMPRESSION:..... 11699756 (19205) | .. | 1 | 2 | 3 |
| 1005-909-3025 | SPRING, HELICAL, COMPRESSION:..... 11699767 (19205) | .. | 1 | 2 | 4 |
| 1005-912-3628 | KNOB AND PIN ASSEMBLY:..... 11699769 (19205) | .. | .. | 1 | 1 |
| 5315-058-6079 | PIN, SPRING:..... MS16562-127 (96906) | .. | 1 | 2 | 3 |
| 5315-909-3007 | PIN, GROOVED, HEADED:..... 11699757 (19205) | .. | 1 | 2 | 3 |
| 5315-909-3026 | PIN, SHOULDER, HEADLESS:..... 11699768 (19205) | .. | 1 | 2 | 3 |
| 5340-909-3033 | CLIP, RETAINING SCREW:..... 11699772 (19205) | 1 | 2 | 5 | 9 |
| | MACHINE GUN, 7.62 MILLIMETER, M60D FLEXIBLE 11699750 | | | | |
| 1005-608-5001 | BARREL ASSEMBLY WITH BIPOD:..... 7269027 (19204) | 1 | 2 | 5 | 9 |
| 1005-608-5214 | LATCH, HINGE PIN:..... 7269243 (19205) | .. | 1 | 2 | 4 |
| 1005-608-5218 | PIN, HINGE COVER:..... 7269247 (19205) | .. | 1 | 2 | 4 |
| 1005-608-5271 | SPRING, HELICAL, COMPRESSION:..... 7269303 (19205) | 2 | 5 | 11 | 20 |
| 1005-608-5172 | GUIDE ASSEMBLY, DRIVE SPRING:..... 7269199 (19205) | 2 | 7 | 16 | 29 |
| 1005-763-1863 | BOLT ASSEMBLY, BREECH:..... 11010357 (19205) | 2 | 6 | 13 | 22 |
| 1005-908-4141 | BUFFER ASSEMBLY:..... 11010518 (19205) | .. | 1 | 2 | 4 |
| 1005-909-3003 | NUT, SEAR LINK:..... 11699789 (19205) | .. | 1 | 2 | 3 |
| 1005-909-3011 | ADAPTER, GUN:..... 11699793 (19205) | .. | .. | 1 | 1 |
| 1005-909-3016 | BOOT, DUST, AND MOISTURE SEAL:..... 11699787 (19205) | 1 | 2 | 4 | 17 |
| 1005-909-3021 | SPRING, LOCK, RETAINING PIN:..... 11699785 (19205) | .. | 1 | 2 | 3 |

Section II. PRESCRIBED LOAD ALLOWANCE —Continued

| (1) Federal stock number | Description Usable on code | (3) 15-Day organizational maintenance alw | | | |
|-----------------------------------|--|---|-------------|--------------|---------------|
| | | (a) 1-5 | (b) 6-20 | (c) 21-40 | (d) 51-100 |
| | MACHINE GUN, 7.62 MILLIMETER, M60D FLEXIBLE 11699750—Continued | | | | |
| 1005-909-3023 | LINK AND SPRING, SEAR ASSEMBLY:..... 11699790 (19205) | .. | 1 | 2 | 4 |
| 1005-909-3024 | GRIP AND TRIGGER ASSEMBLY:..... 11699751 (19205) | .. | 1 | 2 | 3 |
| 1005-912-3712 | ROD ASSEMBLY, OPERATING:..... 11686309 (19205) | 1 | 4 | 8 | 14 |
| 1005-912-3629 | SLEEVE, SWAGING:..... 8427871 (19204) | .. | 1 | 2 | 4 |
| 1005-912-3627 | CABLE, PIN, SAFETY:..... 8427869-7 (19205) | .. | .. | 1 | 2 |
| 1005-987-9682 | TRAY ASSEMBLY, CARTRIDGE:..... 7792096 (19205) | 1 | 2 | 4 | 7 |
| 5315-761-6881 | PIN, SPRING:..... MS16562-151 (96906) | .. | 1 | 2 | 3 |
| 5315-909-3006 | PIN, GROOVED, HEADED:..... 11699788 (19205) | .. | 1 | 2 | 4 |
| 5340-913-5486 | PIN, QUICK RELEASE:..... MS17990CS19 (96906) | .. | 1 | 1 | 2 |
| 9505-293-4208 | WIRE, STEEL, CORROSION RESISTING:..... MS20995C32 (96906) | .. | .. | REF | REF |
| | MOUNT ASSEMBLY (FOR M23 ONLY) 11699749 | | | | |
| 1005-903-1034 | BEAM, MOUNTING:..... 11699728 (19205) | .. | 1 | 2 | 3 |
| 1005-903-1036 | BEAM, MOUNTING:..... 11699727 | .. | 1 | 2 | 3 |
| 1005-903-1094 | AMMUNITION BOX AND COVER ASSEMBLY:..... 11699743 (19205) | .. | .. | 1 | 1 |
| 1005-940-9996 | ADAPTER, AMMUNITION CHUTE:..... 11686424 (19205) | .. | 1 | 1 | 2 |
| 5305-952-1967 | SCREW, CAP, SOCKET-HEAD: 3/8-24UNF, 1.150 LG..... MS24678-47 (96906) | .. | 1 | 2 | 3 |
| 5306-151-0528 | BOLT, CLEVIS:..... AN24-26 (88044) | .. | .. | 1 | 1 |
| 5310-080-6004 | WASHER, FLAT:..... MS27183-14 (96906) | .. | .. | .. | 1 |
| 5310-141-1795 | WASHER, FLAT:..... AN960-416 (88044) | .. | .. | .. | 100 |
| 5310-167-1280 | NUT, CASTELLATED, HEXAGON: AN310C4 (88044) | .. | .. | .. | 100 |
| 5310-903-1035 | NUT, PLAIN, ROUND:..... 11699724 (19205) | .. | 1 | 1 | 2 |
| 5315-234-1854 | PIN, COTTER:..... MS24665-153 (96906) | .. | .. | .. | 100 |
| 5315-597-7092 | PIN, COTTER: 1/16 DIA, 2 1/2 LG..... MS24665-144 (96906) | .. | .. | .. | 1 |
| 9505-293-4208 | WIRE, STEEL, CORROSION RESISTING:..... MS20995C32 (96906) | .. | .. | REF | REF |

Section II. PRESCRIBED LOAD ALLOWANCE —Continued

| (1) Federal stock number | Description Usable on code | (3) 15-Day organizational maintenance alw | | | |
|-----------------------------------|--|---|-------------|--------------|---------------|
| | | (a) 1-5 | (b) 6-20 | (c) 21-40 | (d) 51-100 |
| | MOUNT ASSEMBLY, (FOR M24 ONLY) LEFT SIDE 11699656 AND RIGHT SIDE 11699658 | | | | |
| 1005-909-3019 | PINTLE:..... 11699669 (19205) | .. | 1 | 1 | 2 |
| 1005-909-3031 | CORD ASSEMBLY, SHOCK:..... 11699674-1 (19205) | 1 | 2 | 4 | 6 |
| 3110-100-6149 | BALL, BEARING:..... MS19059-47 (96906) | 1 | 4 | 9 | 16 |
| 5305-909-3010 | RETAINER, BALL BEARING:..... 11699670 (19205) | .. | 1 | 2 | 3 |
| | MOUNT ASSEMBLY, REAR RAMP (FOR M41 ONLY) 8436675 | | | | |
| 1005-061-5624 | CORD ASSEMBLY, ELASTIC:..... 11699674-2 (19205) | .. | 1 | 2 | 3 |
| 1005-061-5638 | PINTLE:..... 8436685 (19204) | .. | .. | 1 | 1 |
| 3120-062-4488 | BEARING, SLEEVE:..... 8436686 (19204) | .. | .. | 1 | 1 |
| 5315-810-3704 | PIN, SPRING:..... MS16562-80 (96906) | .. | 1 | 2 | 3 |
| | POST ASSEMBLY, PINTLE 11699723 | | | | |
| 1005-903-1042 | LOCK, TRAVERSING:..... 11699722 (19205) | .. | 1 | 2 | 3 |
| 1005-903-1043 | SPACER, SLEEVE:..... 11699725 (19205) | .. | 1 | 2 | 3 |
| 1005-946-9222 | POST AND PINTLE SUBASSEMBLY:..... 11699826 (19205) | .. | 1 | 1 | 2 |
| 3110-100-6149 | BALL, BEARING:..... MS19059-47 (96906) | REF | REF | REF | REF |
| 5305-267-8983 | SCREW, CAP, HEXAGON-HEAD: 1/4-28UNF, 2.500 LG..... MS90726-16 (96906) | .. | 1 | 1 | 2 |
| 5305-909-3010 | RETAINER, BALL BEARING:..... 11699670 (19205) | REF | REF | REF | REF |
| 5306-939-1045 | BOLT, MACHINE: NO. 10-32UNF-3A, 2 1/4 LG..... MS9451-30 (96906) | .. | .. | 1 | 1 |
| 5310-061-7325 | NUT, SELF-LOCKING, HEXAGON:..... MS21045-4 (96906) | 1 | 2 | 4 | 6 |
| 5310-263-2862 | NUT, SELF-LOCKING, HEXAGON:..... MS21045C3 (96906) | .. | REF | REF | REF |
| 5315-058-6078 | PIN, SPRING:..... MS16562-126 (96906) | .. | 1 | 2 | 3 |
| | SEAR AND SAFETY HOUSING ASSEMBLY 11699773 | | | | |
| 1005-608-5180 | PLUNGER, SEAR:..... 7269207 (19205) | .. | 1 | 2 | 4 |
| 1005-608-5182 | SEAR:..... 7269209 (19205) | 1 | 4 | 8 | 14 |
| 1005-608-5184 | SPRING, HELICAL, COMPRESSION:..... 7269211 (19205) | .. | 1 | 2 | 3 |

Section II. PRESCRIBED LOAD ALLOWANCE —Continued

| (1) Federal stock number | Description Usable on code | (3) 15-Day organizational maintenance alw | | | |
|-----------------------------------|--|---|-------------|--------------|---------------|
| | | (a) 1-5 | (b) 6-20 | (c) 21-50 | (d) 51-100 |
| | SEAR AND SAFETY HOUSING ASSEMBLY 11699773—Continued | | | | |
| 1005-909-3005 | BUSHING, SEAR: 11699778 (19205) | .. | 1 | 2 | 3 |
| 1005-909-3008 | SAFETY, SMALL ARMS: 11699777 (19205) | .. | 1 | 2 | 3 |
| 1005-909-3009 | PLUNGER, SAFETY: 11699776 (19205) | .. | 1 | 2 | 3 |
| 1005-909-3013 | HOUSING, SEAR: 11699774 (19205) | .. | 1 | 2 | 3 |
| 1005-909-3014 | ACTIVATOR, SEAR, ASSEMBLY: 11699780 (19205) | .. | .. | 1 | 1 |
| 1005-909-3017 | SPRING, HELICAL, COMPRESSION: 11699775 (19205) | .. | 1 | 2 | 4 |
| 5315-909-3004 | PIN, GROOVED, HEADED: 11699779 (19205) | .. | 1 | 2 | 3 |
| | SIGHT ASSEMBLY, REAR 11699796 | | | | |
| 1005-909-3018 | SIGHT, REAR: 11699799 (19205) | .. | 1 | 2 | 3 |
| 1005-909-3022 | BASE, REAR SIGHT: 11699797 (19205) | .. | 1 | 2 | 4 |
| 1005-909-4179 | RETAINER, REAR SIGHT: 11699798 (19205) | .. | 1 | 2 | 3 |
| 3110-100-6149 | BALL, BEARING: MS19059-47 (96906) | REF | REF | REF | REF |
| 5310-158-4447 | NUT, SELF-LOCKING, HEXAGON: 11699763 (19205) | .. | 1 | 2 | 3 |
| 5315-812-3312 | PIN, SPRING: 3/32NOM DIA, 1/2 LG MS16562-119 (96906) | .. | .. | .. | 100 |
| 5340-952-4705 | SPRING, HELICAL, COMPRESSION: MS24585-75 (96906) | .. | 1 | 1 | 2 |
| | TOOLS AND EQUIPMENT | | | | |
| 1005-288-3565 | SWAB, CLEANING, SMALL ARMS: 5109316 (19204) | .. | 1 | 1 | 2 |
| 1005-350-4100 | BRUSH, CLEANING, SMALL ARMS: RECEIVER 8448466 (19204) | .. | .. | 1 | 2 |
| 1005-556-4174 | BRUSH, CLEANING, SMALL ARMS: BORE 5564174 (19204) | .. | 1 | 2 | 4 |
| 1005-690-3115 | BRUSH, CLEANING, SMALL ARMS: CHAMBER 7790452 (19204) | .. | 1 | 2 | 4 |
| 1005-694-1662 | BUFFER, CLEANING ROD: 7268275 (19204) | .. | 1 | 2 | 3 |
| 1005-726-6109 | ROD SECTION, CLEANING ROD: 7266109 (19205) | 1 | 2 | 4 | 6 |
| 1005-726-6110 | SWAB HOLDER SECTION, CLEANING ROD: 7266110 (19205) | .. | 1 | 2 | 3 |
| 1005-791-5420 | CASE, CARRYING, BARREL ASSEMBLY: 7791009 (19205) | .. | .. | 1 | 1 |
| 1005-793-6761 | HANDLE ASSEMBLY, CLEANING ROD: 7266115 (19205) | .. | 1 | 1 | 2 |
| 1005-994-9647 | PLUG, END LINK: 7791595 (19205) | 2 | 7 | 16 | 29 |
| 1005-999-7783 | MAGAZINE ASSEMBLY: 11686442 (19205) | .. | .. | 1 | 1 |

Section II. PRESCRIBED LOAD ALLOWANCE —Continued

| (1) Federal stock number | Description Usable on code | (3) 15-Day organizational maintenance alw | | | |
|-----------------------------------|---|---|-------------|--------------|---------------|
| | | (a) 1-5 | (b) 6-20 | (c) 21-50 | (d) 51-100 |
| | TOOLS AND EQUIPMENT—Continued | | | | |
| 1680-516-8427 | HARNES, AIRCRAFT SAFETY, SHOULDER: 51J3817 (80049) | .. | .. | 1 | 1 |
| 4933-652-9950 | EXTRACTOR, RUPTURED CARTRIDGE CASE: 7790352 (19204) | .. | 1 | 1 | 2 |
| 5120-690-3766 | WRENCH, SCREWDRIVER AND REAMER COMBINATION: 7790680 (19204) | .. | 1 | 2 | 3 |
| 7510-763-5996 | ENVELOPE, TRANSPARENT: MILE43183 (81349) | .. | .. | 1 | 2 |
| 8415-266-8843 | MITTEN, CLOTH: MILM11199 (81349) | .. | .. | 1 | 2 |
| 9150-889-3522 | LUBRICATING OIL, SEMIFLUID: 7791359 (19205) | 1 | 2 | 4 | 6 |

Section III. ORGANIZATIONAL REPAIR PARTS LIST

| (1) SOURCE MAINT AND RECOV CODE | | | (2) FEDERAL STOCK NO. | (3) DESCRIPTION Reference Number & Mfr Code Usable on Code | | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW | | | | (7) ILLUSTRATION | |
|--|--------------|--------------|--------------------------------|--|--|---------------------------|---------------------------------|---|-------------|--------------|---------------|----------------------|--------------------|
| (a) Source | (b) Maint | (c) Recov | | | | | | (a) 1-5 | (b) 6-20 | (c) 21-50 | (d) 51-100 | (a) Figure No. | (b) Item No. |
| COMPONENTS OF MAJOR COMBINATION | | | | | | | | | | | | | |
| C | P | O | R | 1005-903-1088 | ARMAMENT SUBSYSTEM, HELICOPTER, 7.62 MILLIMETER MACHINE GUN: M23 W/E 8428049 BAG, EJECTION CONTROL: 11699714 (19205) | EA | 2 | * | 1 | 1 | 2 | 1 | 1 |
| | | | | | ARMAMENT SUBSYSTEM, HELICOPTER, 7.62 MILLIMETER MACHINE GUN: M24 W/E 8427091 BAG, EJECTION CONTROL: 11699714 (19205) | EA | 2 | REF | REF | REF | REF | 2 | 1 |
| | | | | | CAN ASSEMBLY, AMMUNITION: 11699679 (19205) | EA | 2 | * | * | 1 | 1 | 2 | 2 |
| C | P | O | R | 1005-903-1088 | ARMAMENT SUBSYSTEM, HELICOPTER, 7.62 MILLIMETER MACHINE GUN: M41 W/E 8436598 BAG, EJECTION CONTROL: 11699714 (19205) | EA | 1 | REF | REF | REF | REF | 3 | 1 |
| | | | | | CAN ASSEMBLY, AMMUNITION: 11699679 (19205) | EA | 1 | REF | REF | REF | REF | 3 | 2 |
| | | | | | REPAIR PARTS FOR MACHINE GUN, 7.62 MILLIMETER, M60D, FLEXIBLE 11699750 NOTE: MACHINE GUN PARTS APPLY TO EACH OF THE ARMAMENT SUBSYSTEMS M23, M24, AND M41 BARREL ASSEMBLY WITH BIPOD ASSEMBLY: 7269027 (19204) | | | | | | | | |
| C | P | O | . | 1005-608-5001 | PIN, HINGE COVER: 7269247 (19205) | EA | 1 | 1 | 2 | 5 | 9 | 4 | 1 |
| C | P | O | . | 1005-608-5218 | LATCH, HINGE PIN: 7269243 (19205) | EA | 1 | * | 1 | 2 | 4 | 4 | 2 |
| C | P | O | . | 1005-608-5214 | SPRING, HELICAL, TORSION: 7269301 (19205) | EA | 1 | * | 1 | 2 | 4 | 4 | 3 |
| C | P | O | . | 5360-608-5269 | TRAY ASSEMBLY, CARTRIDGE: 7792096 (19205) | EA | 1 | * | * | * | * | 4 | 4 |
| C | P | O | . | 1005-987-9682 | PIN, COTTER: MS24665-151 (96906) | EA | 1 | 1 | 2 | 4 | 7 | 4 | 6 |
| C | P | O | . | 5315-815-1405 | | HD | 1 | * | * | * | * | 4 | 7 |

Section III. ORGANIZATIONAL REPAIR PARTS LIST—Continued

| (1) SOURCE MAINT AND RECOV CODE | | (2) FEDERAL STOCK NO. | (3) DESCRIPTION Reference Number & Mfr Code Usable on Code | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW | | | | (7) ILLUSTRATION | |
|--|-------|--------------------------------|---|---------------------------|---------------------------------|---|-------------|--------------|---------------|---------------------|----|
| | | | | | | (a) 1-5 | (b) 6-20 | (c) 21-50 | (d) 51-100 | | |
| C | P O | 5315-909-3006 | PIN, GROOVED, HEADED: 11699788 (19205) | EA | 1 | * | 1 | 2 | 4 | 4 | 8 |
| C | P O | 9505-293-4208 | WIRE, STEEL, CORROSION RESISTING: MS20995C32 (96906) | FT | V | * | * | 1 | 1 | 4 | 9 |
| C | P O | 1005-909-3003 | NUT, SEAR LINK: 11699789 (19205) | EA | 1 | * | 1 | 2 | 3 | 4 | 10 |
| C | P O | 1005-909-3023 | LINK AND SPRING, SEAR ASSEMBLY: 11699790 (19205) | EA | 1 | * | 1 | 2 | 3 | 4 | 11 |
| C | P O | 1005-909-3024 | GRIP AND TRIGGER ASSEMBLY: 11699751 (19205) | EA | 1 | * | 1 | 2 | 4 | 4 | 12 |
| C | P O | 1005-912-3629 | SLEEVE, SWAGING: 8427871 (19204) | EA | 2 | * | 1 | 2 | 4 | 4 | 13 |
| C | P O | 1005-912-3627 | CABLE, PIN, SAFETY: 8427869-7 (19205) | EA | 1 | * | * | 1 | 2 | 4 | 14 |
| C | P O | 5340-913-5486 | PIN, QUICK RELEASE: MS17990C519 (96906) | EA | 1 | * | 1 | 1 | 2 | 4 | 15 |
| C | A O | | SIGHT ASSEMBLY, REAR: 11699796 (19204) | | 1 | .. | .. | .. | .. | 4 | 16 |
| C | P O | 1005-909-3021 | SPRING, LOCK, RETAINING PIN: 11699785 (19205) | EA | 1 | * | 1 | 2 | 3 | 4 | 17 |
| C | P O | 5315-608-5178 | PIN, RETAINING: 7269205 (19205) | EA | 1 | * | * | * | * | 4 | 18 |
| C | A O | | SEAR AND SAFETY HOUSING ASSEMBLY: 11699773 (19205) | | 1 | .. | .. | .. | .. | 4 | 19 |
| C | P O | 5315-761-6881 | PIN, SPRING: MS16562-151 (96906) | EA | 3 | * | 1 | 2 | 3 | 4 | 20 |
| C | P O | 1005-909-3011 | ADAPTER, GUN: 11699793 (19205) | EA | 1 | * | * | 1 | 1 | 4 | 21 |
| C | P O | 1005-909-3016 | BOOT, DUST, AND MOISTURE SEAL: 11699787 (19205) | EA | 1 | 1 | 2 | 4 | 7 | 23 | 23 |
| C | P O | 1005-908-4141 | BUFFER ASSEMBLY: 11010518 (19205) | EA | 1 | * | 1 | 2 | 4 | 4 | 24 |
| C | P O R | 1005-763-1863 | BOLT ASSEMBLY, BREECH: 11010357 (19205) | EA | 1 | 2 | 6 | 13 | 22 | 4 | 25 |
| C | P O | 1005-608-5172 | GUIDE ASSEMBLY, DRIVE SPRING: 7269199 (19205) | EA | 1 | 2 | 7 | 16 | 29 | 4 | 26 |
| C | P O | 1005-608-5271 | SPRING, HELICAL, COMPRESSION: 7269303 (19205) | EA | 1 | 2 | 5 | 11 | 20 | 4 | 27 |
| C | P O R | 1005-912-3712 | ROD ASSEMBLY, OPERATING: 11686309 (19205) | EA | 1 | 1 | 4 | 8 | 14 | 4 | 28 |

Section III. ORGANIZATIONAL REPAIR PARTS LIST—Continued

| (1) SOURCE MAINT AND RECOV CODE | | (2) FEDERAL STOCK NO. | (3) DESCRIPTION Reference Number & Mfr Code Usable on Code | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW | | | | (7) ILLUSTRATION | |
|--|-----|--------------------------------|---|---------------------------|---------------------------------|---|-------------|--------------|---------------|---------------------|----|
| | | | | | | (a) 1-5 | (b) 6-20 | (c) 21-50 | (d) 51-100 | | |
| C | P O | 9505-293-4208 | BARKEL ASSEMBLY WITH BIPOD ASSEMBLY 7269027 | FT | V | REF | REF | REF | REF | 5 | 4 |
| C | P O | 1005-608-5005 | WIRE, STEEL, CORROSION RESISTING: MS20995C32 (96906) | EA | 1 | * | 1 | 2 | 3 | 5 | 5 |
| C | P O | 5310-608-5009 | NUT, GAS CYLINDER: 7269031 (19205) | EA | 2 | 1 | 3 | 6 | 10 | 5 | 6 |
| C | P O | 1005-875-4350 | WASHER, KEY: 7269035 (19205) | EA | 1 | * | * | * | 1 | 5 | 7 |
| C | P O | 1005-608-5004 | PISTON, GAS: 7791247 (19205) | EA | 1 | * | 1 | 1 | 2 | 5 | 8 |
| C | P O | 1005-987-9907 | EXTENSION, GAS CYLINDER: 7269030 (19205) | EA | 1 | * | 1 | 2 | 3 | 5 | 9 |
| C | P O | | PLUG, GAS CYLINDER: 7792093 (19205) | | | | | | | | |
| C | P O | 1005-999-6003 | COVER ASSEMBLY 7269114 | EA | 1 | * | 1 | 2 | 4 | 7 | 1 |
| C | A O | | CAM ASSEMBLY, FEED: 11699814 (19205) | | 1 | .. | .. | .. | .. | 7 | 6 |
| C | P O | 1005-608-5119 | LEVER ASSEMBLY 7269119 (19205) | EA | 1 | * | 1 | 2 | 3 | 7 | 7 |
| C | P O | 1005-608-5118 | CLIP, SPRING LEVER: 7269146 (19205) | EA | 1 | * | 1 | 1 | 2 | 7 | 8 |
| C | P O | 1005-912-1146 | LEVER, FEED: 7269145 (19205) | EA | 1 | * | 1 | 2 | 3 | 7 | 9 |
| C | P O | 5315-067-3871 | SPRING, HELICAL, TORSION: 11686315 (19205) | HD | 1 | * | * | * | * | 7 | 10 |
| C | P O | 1005-013-7030 | PIN, COTTER: 1/32 NOM DIA, 1/4 LG MS24665-18 (96906) | EA | 1 | * | * | * | * | 7 | 11 |
| C | P O | 1005-608-5089 | SHAFT, CARTRIDGE GUIDE: 11010152 (19205) | EA | 1 | * | 1 | 2 | 4 | 7 | 12 |
| C | P O | 1005-608-5090 | GUIDE, CARTRIDGE, FRONT: 7269116 (19205) | EA | 1 | * | 1 | 2 | 4 | 7 | 13 |
| C | P O | 1005-608-5093 | GUIDE, CARTRIDGE, REAR: 7269117 (19205) | EA | 1 | * | 1 | 2 | 3 | 7 | 14 |
| C | P O | | PAWL ASSEMBLY, FEED: 7269120 (19205) | | | | | | | | |

Section III. ORGANIZATIONAL REPAIR PARTS LIST—Continued

| (1) SOURCE MAINT AND REC'D CODE | | (2) FEDERAL STOCK NO. | (3) DESCRIPTION Reference Number & Mfr Code Usable on Code | | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | | | | (6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW | | | | (7) ILLUSTRATION | |
|--|-----|--------------------------------|--|--|---------------------------|---------------------------------|-------------|--------------|---------------|---|--|--|--|---------------------|-------------------|
| | | | | | | (a) 1-5 | (b) 6-20 | (c) 21-50 | (d) 51-100 | | | | | (a) Figure No | (b) Item No |
| C | P O | 1005-608-5057 | PLUNGER, EXTRACTOR: 7269083 (19205) | | EA | 1 | 2 | 4 | 7 | | | | | 12 | 11 |
| C | P O | 1005-608-5060 | SPRING, HELICAL, COMPRESSION: 7269086 (19205) | | EA | 1 | 4 | 8 | 14 | | | | | 12 | 12 |
| C | P O | 1005-903-1146 | REPAIR PARTS FOR ARMAMENT SUBSYSTEM M23 (EXCLUDING MACHINE GUN M60D) BAG, EJECTION CONTROL 11699714 | | EA | 1 | * | 2 | 4 | | | | | 15 | 1 |
| C | P O | 5315-815-1405 | BAG, EMPTY CARTRIDGE: 11699740 (19205) | | HD | 1 | * | * | 1 | | | | | 15 | 3 |
| C | P O | 5315-903-1038 | PIN, STRAIGHT, HEADED: MS24665-151 (96906) | | EA | 2 | * | 1 | 2 | | | | | 15 | 4 |
| C | P O | 1005-903-1039 | 11699713 (19205) | | EA | 2 | * | 1 | 2 | | | | | 15 | 5 |
| C | P O | 1005-903-1040 | SPRING, HELICAL, TORSION: 11699712 (19205) | | EA | 1 | * | 1 | 2 | | | | | 15 | 6 |
| C | P O | 1005-903-1040 | LATCH, SAFETY, REAR BRACKET: 11699711 (19205) | | EA | 2 | * | 1 | 2 | | | | | 15 | 7 |
| C | P O | 5315-753-3635 | PIN, SPRING: TUBULAR, COILED, 3/32 DIA, / 8 LG.... MS51923-104 (96906) | | EA | 2 | * | 1 | 2 | | | | | 15 | |
| C | P O | 5315-234-1854 | MOUNT ASSEMBLY (FOR M23 ONLY) 11699749 | | HD | 4 | * | * | 1 | | | | | 16 | 1 |
| C | P O | 5310-167-1280 | PIN, COTTER: MS24665-153 (96906) | | HD | 4 | * | * | 1 | | | | | 16 | 2 |
| C | P O | 5310-141-1795 | NUT, CASTELLATED, HEXAGON: AN310C4 (88044) | | HD | 4 | * | * | 1 | | | | | 16 | 3 |
| C | P O | 5306-151-0528 | WASHER, FLAT: AN960-416 (88044) | | EA | 4 | * | 1 | 1 | | | | | 16 | 4 |
| C | P O | 9505-293-4208 | BOLT, CLEVIS: AN24-26 (88044) | | FT | V | REF | REF | REF | | | | | 16 | 5 |
| C | P O | 5305-952-1967 | WIRE, STEEL, CORROSION RESISTING: MS20995C32 (96906) | | EA | 6 | * | 1 | 2 | | | | | 16 | 6 |
| C | P O | 5310-080-6004 | SCREW, CAP, SOCKET-HEAD: 3/8-24UNF, 1.150 LG.... MS24678-47 (96906) | | EA | 4 | * | * | 1 | | | | | 16 | 7 |
| C | P O | 1005-903-1036 | WASHER, FLAT: MS27183-14 (96906) | | EA | 1 | * | 1 | 2 | | | | | 16 | 8 |
| C | P O | | BEAM, MOUNTING: 11699727 (19205) | | EA | 1 | * | 1 | 3 | | | | | 16 | |

Section III. ORGANIZATIONAL REPAIR PARTS LIST—Continued

| (1) SOURCE MAINT AND REC'D CODE | | (2) FEDERAL STOCK NO. | (3) DESCRIPTION Reference Number & Mfr Code Usable on Code | | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | | | | (6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW | | | | (7) ILLUSTRATION | |
|--|-----|--------------------------------|---|--|---------------------------|---------------------------------|-------------|--------------|---------------|---|--|--|--|---------------------|-------------------|
| | | | | | | (a) 1-5 | (b) 6-20 | (c) 21-50 | (d) 51-100 | | | | | (a) Figure No | (b) Item No |
| C | P O | 1005-903-1034 | BEAM, MOUNTING: 11699728 (19205) | | EA | 1 | * | 2 | 3 | | | | | 16 | 9 |
| C | P O | 5315-597-7092 | PIN, COTTER: 1/16 DIA, 2 1/2 LG MS24665-144 (96906) | | EA | 1 | * | * | 1 | | | | | 16 | 10 |
| C | P O | 5310-903-1035 | NUT, PLAIN, ROUND: 11699724 (19205) | | EA | 2 | * | 1 | 2 | | | | | 16 | 11 |
| C | P O | 1005-903-1094 | AMMUNITION BOX AND COVER ASSEMBLY: 11699743 (19205) | | EA | 1 | * | 1 | 1 | | | | | 16 | 14 |
| N | A O | | CHUTE ASSEMBLY, FLEXIBLE 7792346-5 (19204) | | | 1 | | | | | | | | 16 | 15 |
| C | P O | 1005-940-9996 | ADAPTER, AMMUNITION CHUTE: 1168424 (19205) | | EA | 1 | * | 1 | 2 | | | | | 16 | 16 |
| C | A O | | BRACE ASSEMBLY, CHUTE: 11699819 (19205) | | | 1 | | | | | | | | 16 | 17 |
| C | P O | 5310-061-7325 | POST ASSEMBLY, PINTLE 11699723 | | EA | 1 | 1 | 2 | 4 | | | | | 17 | 1 |
| C | P O | 5305-267-8983 | NUT, SELF-LOCKING, HEXAGON: MS21045-4 (96906) | | EA | 1 | * | 1 | 2 | | | | | 17 | 2 |
| C | P O | 5310-263-2862 | SCREW, CAP, HEXAGON-HEAD: 1/4-28UNF, 2.500 LG. MS90726-16 (96906) | | EA | 1 | * | 1 | 2 | | | | | 17 | 3 |
| C | P O | 5306-939-1045 | NUT, SELF-LOCKING, HEXAGON: MS21045C3 (96906) | | EA | 1 | * | 1 | 1 | | | | | 17 | 4 |
| C | P O | 1005-903-1043 | BOLT, MACHINE: NO. 10-32UNF-3A, 3 1/4 LG. MS9451-30 (96906) | | EA | 1 | * | 1 | 3 | | | | | 17 | 5 |
| C | P O | 1005-903-1042 | SPACER, SLEEVE: 11699725 (19205) | | EA | 1 | * | 1 | 2 | | | | | 17 | 6 |
| C | P O | 1005-903-1042 | LOCK, TRAVERSING: 11699722 (19205) | | EA | 1 | * | 1 | 3 | | | | | 17 | 7 |
| C | P O | 5315-058-6078 | PIN, SPRING: MS16562-126 (96906) | | EA | 1 | * | 1 | 2 | | | | | 17 | 8 |
| C | P O | 1005-946-9222 | POST AND PINTLE SUBASSEMBLY: 11699826 (19205) | | EA | 1 | * | 1 | 2 | | | | | 17 | 9 |
| C | P O | 5305-909-3010 | RETAINER, BALL BEARING: 11699670 (19205) | | EA | 1 | * | 1 | 3 | | | | | 17 | 10 |
| C | P O | 3110-100-6149 | BALL, BEARING: MS19059-47 (96906) | | EA | 12 | REF | REF | REF | | | | | 17 | |

Section III. ORGANIZATIONAL REPAIR PARTS LIST —Continued

| (1) SOURCE MAINT AND RECOV CODE | | (2) FEDERAL STOCK NO | (3) DESCRIPTION Reference Number & Mfr Code Usable on Code | | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW | | | | (7) ILLUSTRATION | |
|--|-----|-------------------------------|---|--|---------------------------|---------------------------------|---|-------------|--------------|---------------|---------------------|---|
| | | | | | | | (a) 1-5 | (b) 6-20 | (c) 21-50 | (d) 51-100 | | |
| C | P O | 1005-972-8128 | CHUTE, AMMUNITION, FLEXIBLE — 7.62 MILLIMETER A 7792346-5 | | EA | 1 | * | 1 | 2 | 4 | 19 | 1 |
| C | P O | 1005-972-8126 | FITTING, GUN END: A 7792345 (19205) | | EA | 46 | 1 | 3 | 6 | 11 | 19 | 2 |
| C | P O | 1005-972-8127 | LINK, AMMUNITION CHUTE: A 7792343 (19205) | | EA | 1 | * | 1 | 2 | 4 | 19 | 3 |
| | | | BRACE ASSEMBLY, CHUTE 11699819 | | | | | | | | | |
| C | P O | 5310-982-4988 | NUT, SELF-LOCKING, HEXAGON: A MS21045C4 (96906) | | HD | 2 | * | 1 | 1 | 2 | 20 | 1 |
| C | P O | 1005-999-3055 | CLAMP ASSEMBLY, STUD: A 11699825 (19205) | | EA | 1 | * | 1 | 1 | 2 | 20 | 2 |
| C | P O | 1005-999-3053 | CLAMP ASSEMBLY, SPRING RETAINER: A 11699822 (19205) | | EA | 1 | * | 1 | 1 | 2 | 20 | 3 |
| | | | NUT, SELF-LOCKING, HEXAGON: A MS21045C3 (96906) | | EA | 3 | REF | REF | REF | REF | 20 | 4 |
| C | P O | 1005-999-3054 | SPRING, CHUTE BRACE ASSEMBLY: A 11699823 (19205) | | EA | 1 | * | 1 | 1 | 2 | 20 | 5 |
| | | | REPAIR PARTS FOR ARMAMENT SUBSYSTEM M24 (EXCLUDING MACHINE GUN M60D) | | | | | | | | | |
| | | | BAG, EJECTION CONTROL 11699714 | | | | | | | | | |
| | | | FOR LIST OF REPAIR PARTS REFER TO FIGURE 15 | | | | | | | | | |
| | | | CAN ASSEMBLY, AMMUNITION 11699679 | | | | | | | | | |
| C | P O | 5315-013-7137 | PIN, COTTER: 060 DIA, 1/8 OUTSIDE EYE DIA. E 5/64 HOLE SIZE MS24665-814 (96906) | | EA | 4 | 1 | 2 | 4 | 6 | 21 | 1 |
| C | P O | 5315-087-8226 | PIN, STRAIGHT, HEADED: E MS20392-2C21 (96906) | | EA | 1 | * | * | 1 | 1 | 21 | 2 |
| C | P O | 1005-903-1092 | SPRING, HELICAL, COMPRESSION: E 11699684 (19205) | | EA | 2 | * | * | 1 | 1 | 21 | 3 |
| C | P O | 5320-061-8216 | RIVET, SOLID: E MS20613-4P10 (96906) | | LB | 1 | * | * | 1 | 1 | 21 | 4 |

Section III. ORGANIZATIONAL REPAIR PARTS LIST —Continued

| (1) SOURCE MAINT AND RECOV CODE | | (2) FEDERAL STOCK NO | (3) DESCRIPTION Reference Number & Mfr Code Usable on Code | | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW | | | | (7) ILLUSTRATION | |
|--|-----|-------------------------------|---|--|---------------------------|---------------------------------|---|-------------|--------------|---------------|---------------------|---|
| | | | | | | | (a) 1-5 | (b) 6-20 | (c) 21-50 | (d) 51-100 | | |
| C | P O | 1005-903-1091 | PLUNGER, HOLDING: E 11699683 (19205) | | EA | 2 | * | 1 | 1 | 2 | 21 | 5 |
| | | | MOUNT ASSEMBLY, (FOR M24 ONLY) LEFT SIDE 11699655 AND RIGHT SIDE 11699658 | | | | | | | | | |
| | P O | 5305-909-3010 | RETAINER, BALL BEARING: D 11699670 (19205) | | EA | 2 | REF | REF | REF | REF | 22 | 1 |
| | P O | 3110-100-6149 | BALL, BEARING: B MS19059-47 (96906) | | EA | 24 | REF | REF | REF | REF | 22 | 2 |
| C | P O | 1005-909-3019 | PINTLE: B 11699669 (19205) | | EA | 2 | * | 1 | 1 | 2 | 22 | 3 |
| C | P O | 1005-909-3031 | CORD ASSEMBLY, SHOCK: B 11699674-1 (19205) | | EA | 2 | 1 | 2 | 4 | 6 | 22 | 4 |
| | | | REPAIR PARTS FOR ARMAMENT SUBSYSTEM M41 (EXCLUDING MACHINE GUN M60D) | | | | | | | | | |
| | | | BAG, EJECTION CONTROL 11699714 | | | | | | | | | |
| | | | FOR LIST OF REPAIR PARTS REFER TO FIGURE 15 | | | | | | | | | |
| | | | CAN ASSEMBLY, AMMUNITION 11699679 | | | | | | | | | |
| | | | FOR LIST OF REPAIR PARTS REFER TO FIGURE 21 | | | | | | | | | |
| | | | MOUNT ASSEMBLY, REAR RAMP: (FOR M41 ONLY) 8436675 | | | | | | | | | |
| C | P O | 5315-810-3704 | PIN, SPRING: C MS16562-80 (96906) | | EA | 1 | * | 1 | 2 | 3 | 23 | 1 |
| C | P O | 1005-061-5638 | PINTLE: C 8436685 (19204) | | EA | 1 | * | * | 1 | 1 | 23 | 2 |
| C | P O | 3120-062-4488 | BEARING, SLEEVE: C 8436686 (19204) | | EA | 1 | * | * | 1 | 1 | 23 | 3 |
| C | P O | 1005-061-5624 | CORD ASSEMBLY, ELASTIC: C 11699674-2 (19204) | | EA | 1 | * | 1 | 2 | 3 | 23 | 4 |

Section IV ORGANIZATIONAL TOOLS, TEST, AND SUPPORT EQUIPMENT

| (1) SOURCE MAINT AND RECOV CODE | | (2) FEDERAL STOCK NO. | (3) DESCRIPTION Reference Number & Mfr Code U-able on Code | | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW | | | | (7) ILLUSTRATION | |
|--|--------------|--------------------------------|---|----|---------------------------|---------------------------------|---|-------------|--------------|---------------|----------------------|--------------------|
| (a) Source | (b) Maint | | | | | | (a) 1-5 | (b) 6-20 | (c) 21-50 | (d) 51-100 | (a) Figure No. | (b) Item No. |
| C | P O | 1005-288-3565 | TOOLS AND EQUIPMENT SWAB, SMALL ARMS, CLEANING: 5019316 (19204) | EA | 1 | * | * | 1 | 1 | 2 | 25 | 11 |
| N | P C | 1005-350-4100 | BRUSH, CLEANING, SMALL ARMS: RECEIVER 8448466 (19204) | EA | 1 | * | * | * | 1 | 2 | 25 | 9 |
| C | P C | 1005-556-4174 | BRUSH, CLEANING, SMALL ARMS: BORE..... 5564174 (19204) | EA | 1 | * | * | 1 | 2 | 4 | 25 | 8 |
| C | P C | 1005-690-3115 | BRUSH, CLEANING, SMALL ARMS: CHAMBER 7790452 (19204) | EA | 1 | * | * | 1 | 2 | 4 | 25 | 4 |
| N | P C | 1005-694-1662 | BUFFER, CLEANING ROD: 7268275 (19204) | EA | 1 | * | * | 1 | 2 | 3 | 25 | 6 |
| C | P C | 1005-726-6109 | ROD SECTION, CLEANING 7266109 (19205) | EA | 5 | 1 | 2 | 2 | 4 | 6 | 25 | 7 |
| C | P C | 1005-726-6110 | SWAB HOLDER SECTION, CLEANING ROD: 7266110 (19205) | EA | 1 | * | * | 1 | 2 | 3 | 25 | 10 |
| C | P C | 1005-791-5420 | CASE, CARRYING, BARREL ASSEMBLY AND EQUIPMENT 7791009 (19205) | EA | 1 | * | * | * | 1 | 1 | 25 | 15 |
| C | P C | 1005-793-6761 | HANDLE ASSEMBLY, CLEANING ROD: 7266115 (19205) | EA | 1 | * | * | 1 | 1 | 2 | 25 | 5 |
| C | P C | 1005-994-9647 | PLUG, END LINK: 7791595 (19205) | EA | 100 | 2 | 7 | 16 | 29 | 29 | 25 | 2 |
| C | P C | 1005-999-7783 | MAGAZINE ASSEMBLY: 11686442 (19205) | EA | 2 | * | * | * | 1 | 1 | 26 | 16 |
| C | P C | 1680-516-8427 | HARNES, AIRCRAFT SAFETY, SHOULDER: 51J3817 (80049) | EA | 2 | * | * | * | 1 | 1 | 25 | 17 |
| C | P C | 4933-652-9950 | EXTRACTOR, RUPTURED CARTRIDGE CASE:..... 7790352 (19204) | EA | 1 | * | * | 1 | 1 | 2 | 25 | 14 |
| C | P O R | 5120-690-3766 | WRENCH, SCREWDRIVER, AND REAMER COMBINATION:..... 7790680 (19204) | EA | 1 | * | * | 1 | 2 | 3 | 25 | 1 |
| C | P C | 7510-763-5996 | ENVELOPE, TRANSPARENT: MILE43183 (81349) | PG | 1 | * | * | * | 1 | 2 | 25 | 13 |
| C | P C | 8415-266-8843 | MITTEN, CLOTH: MILM11199 (81349) | PR | 2 | * | * | * | 1 | 2 | 25 | 12 |
| C | P C | 9150-889-3522 | LUBRICATING OIL, SEMIFLUID: 4 OZ..... 7791359 (19205) | TU | 1 | 1 | 2 | 4 | 6 | 6 | 25 | 3 |

Section IV ORGANIZATIONAL TOOLS, TEST, AND SUPPORT EQUIPMENT —Continued

| (1) SOURCE MAINT AND RECOV CODE | | | (2) FEDERAL STOCK NO | (3) DESCRIPTION Reference Number & Mfr Code Usable on Code | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW | | | | (7) ILLUSTRATION | |
|--|-----|-----|-------------------------------|--|---------------------------|---------------------------------|---|-----|-----|-----|----------------------|-------------------|
| (a) | (b) | (c) | | | | | (a) | (b) | (c) | (d) | (a) Figure No. | (b) Item No |
| P | O | .. | 4933-652-9950 | SPECIAL TOOLS FOR ORGANIZATIONAL MAINTENANCE. THE 15 DAY LEVEL DOES NOT APPLY TO SPECIAL TOOLS FOR ORGANIZATIONAL MAINTENANCE. THE FOLLOWING TOOLS ARE AUTHORIZED ONE(1) TO EACH AIRCRAFT ARMAMENT REPAIRMAN MOS 45J SUPPORTING THE SUBSYSTEMS M23, M24, AND M41. EXTRACTOR, RUPTURED CARTRIDGE CASE: 7790352 (19204) WRENCH, SCREWDRIVER, AND REAMER COMBINATION 7790680 (19204) COMMON MAINTENANCE TOOLS THE SETS LISTED BELOW ARE AUTHORIZED IN ACCORDANCE WITH TOE. TOOL SET, AIRCRAFT ARMAMENT REPAIRMAN: MOS 427, BASIC (FSN 4933-987-9816) (LISTED IN SC 4933-95-CL-A13) CLEANING AND PRESERVING MATERIALS THE FOLLOWING ITEMS ARE REQUISITIONED AS REQUIRED. (SEE ALSO SB700-50) FOR USAGE SEE TM 9-247, TM 9-213, AND TM 9-208-1. SWAB, SMALL ARMS CLEANING: 20 EA IN WP ENV (EXPORT PACK) 2P600-40 1000 EA IN BNDL 5019316 CLOTH, ABRASIVE: PC458 CLEANING COMPOUND, SOLVENT: (CR) MILC372 (81349) 6 OZ CAN 1 GAL CAN 2 OZ CAN | | | | | | | | |
| P | O | R | 5120-690-3766 | | | | | | | | | |
| P | O | .. | 1005-288-2868 | | | | | | | | | |
| P | O | .. | 1005-288-3565 | | | | | | | | | |
| P | O | .. | 5350-221-0872 | | | | | | | | | |
| P | O | .. | 6850-224-6657 | | | | | | | | | |
| P | O | .. | 6850-224-6663 | | | | | | | | | |
| P | O | .. | 6850-682-6835 | | | | | | | | | |

Section IV ORGANIZATIONAL TOOLS, TEST, AND SUPPORT EQUIPMENT —Continued

| (1) SOURCE MAINT AND RECOV CODE | | (2) FEDERAL STOCK NO. | (3) DESCRIPTION Reference Number & Mfr Code Usable on Code | | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW | | | | (7) ILLUSTRATION | |
|--|--------------|--------------------------------|---|--|---------------------------|---------------------------------|---|-------------|--------------|---------------|----------------------|--------------------|
| (a) Source | (b) Maint | | | | | | (a) 1-5 | (b) 6-20 | (c) 21-50 | (d) 51-100 | (a) Figure No. | (b) Item No. |
| P O .. | | 6850-281-1985 | DRY CLEANING SOLVENT: TYPE 1 (SD) PD680 1 GAL CAN RAG, WIPING: MS16746-131 (96906) | | | | | | | | | |
| P O .. | | 7920-205-1711 | | | | | | | | | | |
| P O .. | | 8010-242-2089 | THINNER, PAINT, MINERAL SPIRITS: (TPMS) FED SPEC TT-291 (81348) 1 GAL CAN BRUSH, ARTISTS: MILHB241 (81348) | | | | | | | | | |
| P O .. | | 8020-244-0153 | | | | | | | | | | |
| P O .. | | 9150-231-6689 | LUBRICATING OIL, GENERAL PURPOSES: TYPE 11 (PL) MILL644 (81349) 1 QT CAN 4 OZ CAN | | | | | | | | | |
| P O .. | | 9150-273-2389 | | | | | | | | | | |
| P O .. | | 9150-292-9689 | LUBRICATING OIL, WEAPONS: (LAW) MILL14107 (81349) 1 QT CAN | | | | | | | | | |
| P O .. | | 9150-687-4241 | LUBRICATING OIL, SEMIFLUID: (LSA) MILL46000 (81349) 1 QT CAN | | | | | | | | | |

Section V. DIRECT SUPPORT AND GENERAL SUPPORT REPAIR PARTS LIST

| (1) Source Maint and Recy code | | (2) Federal Stock No. | (3) Description Reference Number & Mfr Code | (4) Unit of meas | (5) Qty inc in unit | (6) 30-day DS maint allowance | | | (7) 30-day GS maint allowance | | | (8) 1-yr alt per 100 equip catgy | (9) Depot maint alt per 100 equip | (10) Illustration | |
|---|---------------|--------------------------------|--|---------------------------|---------------------------------|-------------------------------------|--------------|---------------|-------------------------------------|--------------|---------------|--|---|----------------------|-------------------|
| | | | | | | (a) 1-30 | (b) 31-90 | (c) 91-100 | (a) 1-30 | (b) 31-90 | (c) 91-100 | | | (a) Figure No | (b) Item No |
| C P O R | 1005-903-1088 | 1005-903-1088 | COMPONENTS OF MAJOR COMBINATIONS ARMAMENT SUBSYSTEM, HELICOPTER, 7.62 MILLIMETER MACHINE GUN: M23 W/E 8428049 BAG, EJECTION CONTROL: 11699714 (19205) MACHINE GUN, 7.62 MILLIMETER: M60D, FLEXIBLE* 11699750 (19204) MOUNT ASSEMBLY, (M23)..... A 11699749 (19205) | EA | 2 | 1 | 2 | 4 | 1 | 2 | 4 | 48 | 24 | 1 | 1 |
| | | | | | | . | . | . | . | . | . | . | . | 1 | 2 |
| | | | | | | . | . | . | . | . | . | . | . | 1 | 3 |
| | | | | | | . | . | . | . | . | . | . | . | . | . |
| C P O R | 1005-903-1088 | 1005-903-1088 | ARMAMENT SUBSYSTEM, HELICOPTER, 7.62 MILLIMETER MACHINE GUN: M24 W/E 8427091 BAG, EJECTION CONTROL: 11699714 (19205) CAN ASSEMBLY, AMMUNITION: E 11699679 (19205) MACHINE GUN, 7.62 MILLIMETER: M60D, FLEXIBLE * 11699750 (19205) MOUNT ASSEMBLY, LEFT SIDE, (M24) B 11699655 (19205) MOUNT ASSEMBLY, RIGHT SIDE, (M24) B 11699658 (19205) | EA | 2 | REF | REF | REF | REF | REF | REF | REF | REF | 2 | 1 |
| | | | | | | 1 | 1 | 2 | 1 | 1 | 2 | 24 | 8 | 2 | 2 |
| | | | | | | . | . | . | . | . | . | . | . | 2 | 3 |
| | | | | | | . | . | . | . | . | . | . | . | 2 | 4 |
| C P O R | 1005-903-1088 | 1005-903-1088 | ARMAMENT SUBSYSTEM, HELICOPTER, 7.62 MILLIMETER MACHINE GUN: M41 W/E 8436598 BAG, EJECTION CONTROL:..... 11699714 (19205) CAN ASSEMBLY, AMMUNITION:..... E 11699679 (19205) MACHINE GUN, 7.62 MILLIMETER: M60D, FLEXIBLE* 11699750 (19205) MOUNT ASSEMBLY, REAR RAMP: (M41)..... C 84366675 (19204) | EA | 1 | REF | REF | REF | REF | REF | REF | REF | REF | 3 | 1 |
| | | | | | | REF | REF | REF | REF | REF | REF | REF | REF | 3 | 2 |
| | | | | | | . | . | . | . | . | . | . | . | 3 | 3 |
| | | | | | | . | . | . | . | . | . | . | . | 3 | 4 |

Section V. DIRECT SUPPORT AND GENERAL SUPPORT REPAIR PARTS LIST—Continued

| (1) Source Maint and Recur code | | (2) Federal Stock No. | (3) Description Reference Number & Mfr Code | (4) Unit of meas | (5) Qty inc in unit | (6) 30-day DS maint allowance | | | (7) 30-day GS maint allowance | | | (8) 1-yr altw per 100 equip cnlgy | (9) Depot maint altw per 100 equip | (10) Illustration | | |
|--|--|--------------------------------|---|---------------------------|---------------------------------|-------------------------------------|--------------|---------------|-------------------------------------|--------------|---------------|---|--|----------------------|----|---------------------|
| | | | | | | (a) 1-20 | (b) 21-50 | (c) 51-100 | (a) 1-20 | (b) 21-50 | (c) 51-100 | | | | | (a) Figure No |
| REPAIR PARTS FOR MACHINE GUN, 7.62 MILLIMETER, M60D, FLEXIBLE 11699750 | | | | | | | | | | | | | | | | |
| NOTE | | | | | | | | | | | | | | | | |
| MACHINE GUN PARTS APPLY TO EACH OF THE ARMAMENT SUBSYSTEMS M23, M24, AND M41. | | | | | | | | | | | | | | | | |
| P O .. | | 1005-608-5001 | BARREL ASSEMBLY WITH BIPOD ASSEMBLY: 7269027 (19204) | EA | 1 | 4 | 9 | 16 | 4 | 9 | 16 | 192 | .. | 4 | 1 | |
| P O .. | | 1005-608-5218 | PIN, HINGE COVER: 7269247 (19205) | EA | 1 | 2 | 4 | 7 | 2 | 4 | 7 | 84 | 6 | 4 | 2 | |
| P O .. | | 1005-608-5214 | LATCH, HINGE PIN: 7269243 (19205) | EA | 1 | 2 | 4 | 7 | 2 | 4 | 7 | 84 | 12 | 4 | 3 | |
| P O .. | | 5360-608-5269 | SPRING, HELICAL, TORSION: 7269301 (19205) | EA | 1 | * | 1 | 1 | * | 1 | 1 | 12 | 4 | 4 | 4 | |
| X1 | | | COVER ASSEMBLY: 7269114 (19205) | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. | 4 | 5 | |
| P O .. | | 1005-987-9682 | TRAY ASSEMBLY, CARTRIDGE: 7792096 (19205) | EA | 1 | 4 | 8 | 14 | 4 | 8 | 14 | 168 | 50 | 4 | 6 | |
| P O .. | | 5315-815-1405 | PIN, COTTER: MS24665-151 (96906) | HD | 1 | * | 1 | 1 | * | 1 | 1 | 12 | 15 | 4 | 7 | |
| P O .. | | 5315-909-3006 | PIN, GROOVED, HEADED: 11699788 (19205) | EA | 1 | 2 | 4 | 7 | 2 | 4 | 7 | 84 | 15 | 4 | 8 | |
| P O .. | | 9505-293-4208 | WIRE, STEEL, CORROSION RESISTING: MS20995C32 (96906) | FT | V | 1 | 1 | 2 | 1 | 1 | 2 | 24 | 1 | 4 | 9 | |
| P O .. | | 1005-909-3003 | NUT, SEAR LINK: 11699789 (19205) | EA | 1 | 2 | 4 | 6 | 2 | 4 | 6 | 72 | 10 | 4 | 10 | |
| P O .. | | 1005-909-3023 | LINK AND SPRING, SEAR ASSEMBLY: 11699790 (19205) | EA | 1 | 2 | 3 | 5 | 2 | 3 | 5 | 60 | 10 | 4 | 11 | |
| P O .. | | 1005-909-3024 | GRIP AND TRIGGER ASSEMBLY: 11699751 (19205) | EA | 1 | 2 | 3 | 5 | 2 | 3 | 5 | 60 | 76 | 4 | 12 | |
| P O .. | | 1005-912-3629 | SLEEVE, SWAGING: 8427871 (19204) | EA | 2 | 2 | 4 | 8 | 2 | 4 | 8 | 96 | 50 | 4 | 13 | |
| P O .. | | 1005-912-3627 | CABLE, PIN, SAFETY: 8427869-7 (19204) | EA | 1 | 1 | 2 | 3 | 1 | 2 | 3 | 36 | 24 | 4 | 14 | |
| P O .. | | 5340-913-5486 | PIN, QUICK RELEASE: MS17990C519 (96906) | EA | 1 | * | 1 | 2 | * | 1 | 2 | 24 | 8 | 4 | 15 | |

* This is a PEMA Major Item. Stockage of a maintenance float quantity will be in accordance with SB 9-149. If not repairable in accordance with the criteria of the support unit it will be evacuated and a replacement requisitioned through supply channels. Stockage of replacements will be in accordance with AR 11-11 for major overseas commands. Stockage of replacements for CONUS will be limited to NICP controlled U. S. Army depots.

Section V. DIRECT SUPPORT AND GENERAL SUPPORT REPAIR PARTS LIST —Continued

| (1) Source Maint and Recur code | | (2) Federal Stock No. | (3) Description Reference Number & Mfr Code | (4) Unit of meas | (5) Qty inc in unit | (6) 30-day DS maint allowance | | | (7) 30-day GS maint allowance | | | (8) 1-yr altw per 100 equip cnlgy | (9) Depot maint altw per 100 equip | (10) Illustration | |
|--|--|--------------------------------|---|---------------------------|---------------------------------|-------------------------------------|--------------|---------------|-------------------------------------|--------------|---------------|---|--|----------------------|--------------------|
| | | | | | | (a) 1-20 | (b) 21-50 | (c) 51-100 | (a) 1-20 | (b) 21-50 | (c) 51-100 | | | (a) Figure No | (b) Item No. |
| C A O .. | | | SIGHT ASSEMBLY, REAR 11699796 (19204) | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. | 4 | 16 |
| C P O .. | | 1005-909-3021 | SPRING, LOCK, RETAINING PIN: 11699785 (19205) | EA | 1 | 2 | 4 | 6 | 2 | 4 | 6 | 72 | 10 | 4 | 17 |
| C P O .. | | 5315-608-5178 | PIN, RETAINING: 7269205 (19205) | EA | 1 | * | * | 1 | * | * | 1 | 12 | 8 | 4 | 18 |
| C A O .. | | | SEAR AND SAFETY HOUSING ASSEMBLY: 11699773 (19205) | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. | 4 | 19 |
| C P O .. | | 5315-761-6881 | PIN, SPRING: MS16562-151 (96906) | EA | 1 | 2 | 3 | 5 | 2 | 3 | 5 | 60 | 40 | 4 | 20 |
| C P O .. | | 1005-909-3011 | ADAPTER, GUN: 11699793 (19205) | EA | 1 | 1 | 2 | 2 | 1 | 2 | 2 | 24 | 5 | 4 | 21 |
| C P F .. | | 1005-909-3020 | YOKE, BUFFER RETAINING: 11699786 (19205) | EA | 1 | 3 | 5 | 9 | 3 | 5 | 9 | 108 | 25 | 4 | 22 |
| C P O .. | | 1005-909-3016 | BOOT, DUST AND MOISTURE SEAL: 11699787 (19205) | EA | 1 | 4 | 8 | 14 | 4 | 8 | 14 | 168 | .. | 4 | 23 |
| C P O .. | | 1005-908-4141 | BUFFER ASSEMBLY: 11010518 (19205) | EA | 1 | 2 | 4 | 7 | 2 | 4 | 7 | 84 | 20 | 4 | 24 |
| C P O R | | 1005-763-1863 | BOLT ASSEMBLY, BREECH: 11010357 (19205) | EA | 1 | 10 | 23 | 44 | 10 | 23 | 44 | 528 | .. | 4 | 25 |
| C P O .. | | 1005-608-5172 | GUIDE ASSEMBLY, DRIVE SPRING: 7269199 (19205) | EA | 1 | 13 | 30 | 58 | 13 | 30 | 58 | 696 | 50 | 4 | 26 |
| C P O .. | | 1005-608-5271 | SPRING, HELICAL, COMPRESSION 7269303 (19205) | EA | 1 | 9 | 21 | 40 | 9 | 21 | 40 | 480 | 100 | 4 | 27 |
| C P O R | | 1005-912-3712 | ROD ASSEMBLY, OPERATING: 11686309 (19205) | EA | 1 | 6 | 14 | 27 | 6 | 14 | 27 | 324 | 50 | 4 | 28 |
| C P F .. | | 5315-839-0901 | PIN, SPRING: MS39086-81 (96906) | EA | 2 | 1 | 2 | 2 | 1 | 2 | 2 | 24 | 300 | 4 | 29 |
| C P F .. | | 1005-918-2609 | RING, BARREL LOCK: 11010377 (19205) | EA | 2 | * | 1 | 1 | * | 1 | 1 | 12 | 5 | 4 | 30 |
| C P F .. | | 1005-913-0928 | SPRING, HELICAL, COMPRESSION: 11010197 (19205) | EA | 1 | 1 | 1 | 2 | 1 | 1 | 2 | 24 | 5 | 4 | 31 |
| C P F .. | | 1005-918-2608 | LOCK, BARREL: 11010184 (19205) | EA | 1 | * | 1 | 1 | * | 1 | 1 | 12 | 2 | 4 | 32 |
| C P F .. | | 1005-608-5270 | SPRING, HELICAL, COMPRESSION: 7269302 (19205) | EA | 1 | 1 | 2 | 2 | 1 | 2 | 2 | 24 | 6 | 4 | 33 |
| C P F .. | | 1005-608-5221 | PLUNGER, CARRYING HANDLE: 7269250 (19205) | EA | 1 | 1 | 2 | 2 | 1 | 2 | 2 | 24 | 4 | 4 | 34 |
| C P F .. | | 1005-608-5203 | HANDLE ASSEMBLY, CARRYING: 7269231 (19205) | EA | 1 | 1 | 2 | 2 | 1 | 2 | 2 | 24 | 10 | 4 | 35 |

Section V. DIRECT SUPPORT AND GENERAL SUPPORT REPAIR PARTS LIST —Continued

| (1) Source Maint and Recode | | (2) Federal Stock No. | (3) Description | (4) Unit of meas | (5) Qty inc in unit | (6) 30-day DS maint allowance | | | (7) 30-day GS maint allowance | | | (8) 1-yr alt per 100 equip catgry | (9) Depot maint alt per 100 equip | (10) Illustration | |
|--------------------------------------|-----|--------------------------------|--|---------------------------|---------------------------------|-------------------------------------|--------------|--------------|-------------------------------------|--------------|--------------|---|---|----------------------|--------------------|
| | | | | | | (a) 1-30 | (b) 31-60 | (c) 61-90 | (a) 1-30 | (b) 31-60 | (c) 61-90 | | | (a) Figure No | (b) Item No. |
| C | P F | 5305-753-4113 | SCREW, ASSEMBLED WASHER: 7790559 (19205) | EA | 1 | 2 | 3 | 5 | 2 | 3 | 5 | 60 | 10 | 4 | 36 |
| C | P F | 1005-603-9285 | GUIDE, COCKING HANDLE: 11010155 (19205) | EA | 1 | 1 | 2 | 3 | 1 | 2 | 3 | 36 | 4 | 4 | 37 |
| X1 | | | HANDLE ASSEMBLY: 7791621 (19205) | | 1 | | | | | | | | | 4 | 38 |
| C | P F | 1005-934-8312 | BRACKET, MAGAZINE: 11686976 (19205) | EA | 1 | 1 | 1 | 2 | 1 | 1 | 2 | 24 | 8 | 4 | 39 |
| C | F | 5315-067-3871 | PIN, COTTER: 1 / 32 NOM DIA. 1 / 4 LG. MS24665-18 (96906) | HD | 2 | * | 1 | 1 | * | 1 | 1 | 12 | 1 | 4 | 40 |
| C | P F | 5315-066-6062 | PIN, LATCH RETAINING: 7792069 (19205) | EA | 2 | 2 | 4 | 7 | 2 | 4 | 7 | 84 | 6 | 4 | 41 |
| C | P F | 1005-690-3505 | LATCH, MAGAZINE RELEASE: 7790554 (19205) | EA | 1 | 1 | 2 | 4 | 1 | 2 | 4 | 48 | 8 | 4 | 42 |
| C | P F | 1005-690-3504 | LATCH, MAGAZINE: 7790553 (19205) | EA | 1 | 1 | 2 | 4 | 1 | 2 | 4 | 48 | 8 | 4 | 43 |
| C | P F | 1005-690-3502 | SPRING, HELICAL, COMPRESSION: 7790551 (19205) | EA | 2 | 1 | 2 | 4 | 1 | 2 | 4 | 48 | 8 | 4 | 44 |
| C | P H | 5320-075-7225 | RIVET, MAGAZINE BRACKET ASSEMBLY: 7792086 (19205) | EA | 4 | | | | 2 | 3 | 5 | 60 | 60 | 4 | 45 |
| X1 | | | RECEIVER ASSEMBLY: 11686308 (19204) | | 1 | | | | | | | | | 4 | 46 |
| C | P F | 5320-083-0290 | RIVET, RECEIVER ASSEMBLY: 7792972 (19205) | EA | 2 | * | 1 | 1 | * | 1 | 1 | 12 | 20 | 4 | 47 |
| C | P F | 1005-083-0291 | PLATE MOUNTING 7792974 (19205) | EA | 1 | 1 | 2 | 2 | 1 | 2 | 2 | 24 | 5 | 4 | 48 |
| P | H | 5320-071-8945 | RIVET, COUNTERSUNK: 7269411 (19205) | EA | 4 | | | | * | * | 1 | 12 | 12 | 4 | 49 |
| X1 | | | RECEIVER: 11686307 (19204) | | 1 | | | | | | | | | 4 | 50 |
| C | P F | 5315-409-4069 | BARREL ASSEMBLY WITH BIPOD ASSEMBLY 7269027 | EA | 1 | 2 | 3 | 5 | 2 | 3 | 5 | 60 | 100 | 5 | 1 |
| C | P F | 1005-608-5008 | PIN, STRAIGHT, HEADLESS: 7792085 (19205) | EA | 1 | 2 | 4 | 6 | 2 | 4 | 6 | 72 | 5 | 5 | 2 |
| X1 | | | SUPPRESSOR, FLASH: 7269034 (19205) | | 1 | | | | | | | | | 5 | 3 |
| P | O | | BIPOD ASSEMBLY: 7793009 (19205) | | V | | | | | | | | | 5 | 4 |
| P | O | 9505-293-4208 | WIRE, STEEL, CORROSION RESISTING: MS20995C32 (96906) | FT | | | | | | | | | | | |

Section V. DIRECT SUPPORT AND GENERAL SUPPORT REPAIR PARTS LIST —Continued

| (1) Source Maint and Recode | | (2) Federal Stock No. | (3) Description | (4) Unit of meas | (5) Qty inc in unit | (6) 30-day DS maint allowance | | | (7) 30-day GS maint allowance | | | (8) 1-yr alt per 100 equip catgry | (9) Depot maint alt per 100 equip | (10) Illustration | |
|--------------------------------------|-----|--------------------------------|--|---------------------------|---------------------------------|-------------------------------------|--------------|--------------|-------------------------------------|--------------|--------------|---|---|----------------------|--------------------|
| | | | | | | (a) 1-30 | (b) 31-60 | (c) 61-90 | (a) 1-30 | (b) 31-60 | (c) 61-90 | | | (a) Figure No | (b) Item No. |
| C | P O | 1005-608-5005 | NUT, GAS CYLINDER: 7269031 (19205) | EA | 1 | 2 | 3 | 5 | 2 | 3 | 5 | 60 | 10 | 5 | 5 |
| C | P O | 5310-608-5009 | WASHER, KEY: 7269035 (19205) | EA | 2 | 5 | 10 | 19 | 5 | 10 | 19 | 228 | 50 | 5 | 6 |
| C | P O | 1005-875-4350 | PISTON, GAS: 7791247 (19205) | EA | 1 | * | 1 | 1 | * | 1 | 1 | 12 | 10 | 5 | 7 |
| C | P O | 1005-608-5004 | EXTENSION, GAS CYLINDER: 7269030 (19205) | EA | 1 | 1 | 2 | 4 | 1 | 2 | 4 | 48 | 5 | 5 | 8 |
| C | P O | 1005-987-9907 | PLUG, GAS CYLINDER: 7792093 (19205) | EA | 1 | 2 | 4 | 6 | 2 | 4 | 6 | 72 | 70 | 5 | 9 |
| C | P F | 1005-608-5002 | BARREL ASSEMBLY: 7269028 (19205) | EA | 1 | 1 | 2 | 4 | 1 | 2 | 4 | 48 | 100 | 5 | 10 |
| C | P F | 5305-608-5025 | BIPOD ASSEMBLY 7793009 | EA | 2 | 2 | 3 | 5 | 2 | 3 | 5 | 60 | 200 | 6 | 1 |
| C | P F | 5315-608-5022 | PIN, RETAINER, SPRING: 7269048 (19205) | EA | 2 | 1 | 1 | 2 | 1 | 1 | 2 | 24 | 8 | 6 | 2 |
| C | P F | 1005-608-5027 | RETAINER, SPRING: 7269053 (19205) | EA | 2 | 1 | 1 | 2 | 1 | 1 | 2 | 24 | 6 | 6 | 3 |
| C | P F | 1005-608-5026 | SPRING, HELICAL, COMPRESSION: 7269052 (19205) | EA | 2 | 1 | 1 | 2 | 1 | 1 | 2 | 24 | 5 | 6 | 4 |
| C | P F | 5315-608-5024 | PLUNGER, SPRING: 7269050 (19205) | EA | 2 | 1 | 1 | 2 | 1 | 1 | 2 | 24 | 6 | 6 | 5 |
| C | P F | 1005-020-8684 | PIVOT, BIPOD ASSEMBLY: 7793010 (19205) | EA | 1 | 1 | 2 | 2 | 1 | 2 | 2 | 24 | 10 | 6 | 6 |
| P | D | 1005-608-5021 | LEG ASSEMBLY: RH 7269047 (19205) | EA | 1 | | | | | | | | 5 | 6 | 7 |
| P | D | 1005-608-5020 | LEG ASSEMBLY: LH 7269046 (19205) | EA | 1 | | | | | | | | 5 | 6 | 8 |
| P | D | 5320-608-5032 | RIVET, SOLID: 7269058 (19205) | EA | 4 | | | | | | | | 100 | 6 | 9 |
| X1 | | | KEY, GUIDE FOOT: 7269057 (19205) | | 2 | | | | | | | | | 6 | 10 |
| X1 | | | SPRING: 7269059 (19205) | | 2 | | | | | | | | | 6 | 11 |
| X1 | | | BUTTON: 7269054 (19205) | | 2 | | | | | | | | | 6 | 12 |
| X1 | | | FOOT ASSEMBLY: RH 7269061 (19205) | | 1 | | | | | | | | | 6 | 13 |

Section V. DIRECT SUPPORT AND GENERAL SUPPORT REPAIR PARTS LIST —Continued

| (1) Source Maint and Recov code | (2) Federal Stock No. | (3) Description Usable on code | (4) Unit of meas | (5) Qty inc in unit | (6) 30-day DS maint allowance | | | (7) 30-day GS maint allowance | | | (8) 1-yr alt per 100 equip category | (9) Depot maint alt per 100 equip | (10) Illustration |
|--|--------------------------------|--|---------------------------|---------------------------------|-------------------------------------|--------------|---------------|-------------------------------------|--------------|---------------|---|---|----------------------|
| | | | | | (a) 1-30 | (b) 31-60 | (c) 61-100 | (a) 1-30 | (b) 31-60 | (c) 61-100 | | | |
| C P F .. | 1005-768-7084 | TRAY ASSEMBLY, CARTRIDGE 7792096 | EA | 1 | 1 | 2 | 2 | 1 | 2 | 2 | 24 | 6 | 8 |
| C P F .. | 1005-608-5300 | SHAFT, CARTRIDGE PAWL: 7790724 (19205) | EA | 2 | * | 1 | 1 | * | 1 | 1 | 12 | 8 | 2 |
| C P F .. | 1005-608-5299 | ROLLER, CARTRIDGE FEED: 7269333 (19205) | EA | 1 | 1 | 2 | 2 | 1 | 2 | 2 | 24 | 10 | 3 |
| C P F .. | 5360-608-5302 | PAWL, CARTRIDGE RETAINER: 7269332 (19205) | EA | 1 | 1 | 2 | 2 | 1 | 2 | 2 | 24 | 6 | 4 |
| X1 .. | | SPRING, HELICAL, TORSION: 7269335 (19205) | EA | 1 | 1 | 2 | 2 | 1 | 2 | 2 | 24 | 6 | 8 |
| | | FRAME ASSEMBLY, CARTRIDGE TRAY: 7792097 (19205) | EA | 1 | 1 | 2 | 2 | 1 | 2 | 2 | 24 | 6 | 8 |
| C P O | 5340-909-3033 | GRIP AND TRIGGER ASSEMBLY 11699751 | EA | 1 | 4 | 9 | 16 | 4 | 9 | 16 | 192 | 20 | 1 |
| C P O | 1005-912-3628 | CLIP, RETAINING SCREW: 11699772 (19205) | EA | 1 | 1 | 2 | 2 | 1 | 2 | 2 | 24 | 5 | 2 |
| C P O | 5315-058-6079 | KNOB AND PIN ASSEMBLY: 11699769 (19205) | EA | 3 | 2 | 3 | 5 | 2 | 3 | 5 | 60 | 32 | 3 |
| C P O | 5315-909-3026 | PIN, SPRING: MS16562-127 (96906) | EA | 1 | 2 | 4 | 6 | 2 | 4 | 6 | 72 | 14 | 4 |
| C P O | 1005-909-3025 | PIN, SHOULDER, HEADLESS: 11699768 (19205) | EA | 1 | 2 | 4 | 7 | 2 | 4 | 7 | 84 | 14 | 5 |
| C P O | 5315-239-8019 | SPRING, HELICAL, COMPRESSION: 11699767 (19205) | EA | 1 | 2 | 4 | 7 | 2 | 4 | 7 | 84 | 14 | 5 |
| C P O | 5315-909-3007 | PIN, COTTER: MS24665-86 (96906) | HD | 2 | * | 1 | 1 | * | 1 | 1 | 12 | 15 | 6 |
| C P O | 1005-909-3012 | PIN, GROOVED, HEADED: 11699757 (19205) | EA | 2 | 2 | 4 | 6 | 2 | 4 | 6 | 72 | 10 | 7 |
| C P O | | SPRING, HELICAL, COMPRESSION: 11699756 (19205) | EA | 2 | 2 | 4 | 6 | 2 | 4 | 6 | 72 | 8 | 8 |
| C P O | 5315-812-3312 | SIGHT ASSEMBLY, REAR 11699796 | HD | 1 | * | 1 | 1 | * | 1 | 1 | 12 | 14 | 1 |
| C P O | 5310-158-4447 | PIN, SPRING: 3 / 32 NOM DIA, 1 / 2 LG MS16562-119 (96906) | EA | 1 | 2 | 4 | 6 | 2 | 4 | 6 | 72 | 22 | 2 |
| C P O | 1005-909-4179 | NUT, SELF-LOCKING, HEXAGON: 11699763 (19205) | EA | 1 | 2 | 4 | 6 | 2 | 4 | 6 | 72 | 22 | 2 |
| C P O | | RETAINER, REAR SIGHT: 11699798 (19205) | EA | 1 | 2 | 3 | 5 | 2 | 3 | 5 | 60 | 6 | 3 |

Section V. DIRECT SUPPORT AND GENERAL SUPPORT REPAIR PARTS LIST —Continued

| (1) Source Maint and Recov code | (2) Federal Stock No. | (3) Description Usable on code | (4) Unit of meas | (5) Qty inc in unit | (6) 30-day DS maint allowance | | | (7) 30-day GS maint allowance | | | (8) 1-yr alt per 100 equip category | (9) Depot maint alt per 100 equip | (10) Illustration |
|--|--------------------------------|---|---------------------------|---------------------------------|-------------------------------------|--------------|---------------|-------------------------------------|--------------|---------------|---|---|----------------------|
| | | | | | (a) 1-30 | (b) 31-60 | (c) 61-100 | (a) 1-30 | (b) 31-60 | (c) 61-100 | | | |
| C P O | 1005-909-3018 | SIGHT, REAR: 11699799 (19205) | EA | 1 | 2 | 3 | 5 | 2 | 3 | 5 | 60 | 5 | 4 |
| C P O | 3110-100-6149 | BALL, BEARING: MS19059-47 (96906) | EA | 1 | 7 | 16 | 30 | 7 | 16 | 30 | 360 | 50 | 5 |
| C P O | 5340-952-4705 | SPRING, HELICAL, COMPRESSION: MS24585-75 (96906) | EA | 1 | 1 | 2 | 4 | 1 | 2 | 4 | 48 | 6 | 6 |
| C P O | 1005-909-3022 | BASE, REAR SIGHT: 11699797 (19205) | EA | 1 | 2 | 4 | 7 | 2 | 4 | 7 | 84 | 4 | 7 |
| C P O | 5315-909-3004 | SEAR AND SAFETY HOUSING ASSEMBLY 11699773 | EA | 1 | 2 | 4 | 6 | 2 | 4 | 6 | 72 | 8 | 11 |
| C P O | 1005-909-3014 | PIN, GROOVED, HEADED: 11699779 (19205) | EA | 1 | 1 | 1 | 2 | 1 | 1 | 2 | 24 | 2 | 11 |
| C P O | 1005-909-3005 | ACTIVATOR, SEAR ASSEMBLY: 11699780 (19205) | EA | 1 | 2 | 4 | 6 | 2 | 4 | 6 | 72 | 8 | 11 |
| C P O | 1005-608-5182 | BUSHING, SEAR: 11699778 (19205) | EA | 1 | 6 | 14 | 27 | 6 | 14 | 27 | 324 | 32 | 11 |
| C P O | 1005-608-5180 | SEAR: 7269209 (19205) | EA | 1 | 2 | 4 | 7 | 2 | 4 | 7 | 108 | 10 | 5 |
| C P O | 1005-608-5184 | PLUNGER, SEAR: 7269207 (19205) | EA | 1 | 2 | 4 | 6 | 2 | 4 | 6 | 72 | 8 | 11 |
| C P O | 1005-909-3008 | SPRING, HELICAL, COMPRESSION: 7269211 (19205) | EA | 1 | 2 | 4 | 6 | 2 | 4 | 6 | 72 | 8 | 11 |
| C P O | 1005-909-3009 | SAFETY, SMALL ARMS: 11699777 (19205) | EA | 1 | 2 | 3 | 5 | 2 | 3 | 5 | 60 | 8 | 11 |
| C P O | 1005-909-3017 | PLUNGER, SAFETY: 11699776 (19205) | EA | 1 | 2 | 3 | 5 | 2 | 3 | 5 | 60 | 8 | 11 |
| C P O | 1005-909-3013 | SPRING, HELICAL, COMPRESSION: 11699775 (19205) | EA | 1 | 2 | 4 | 7 | 2 | 4 | 7 | 84 | 14 | 11 |
| C P O | | HOUSING, SEAR: 11699774 (19205) | EA | 1 | 2 | 3 | 5 | 2 | 3 | 5 | 60 | 5 | 10 |
| C P O | 5315-994-9648 | BREECH BOLT ASSEMBLY 11010357 | EA | 1 | 3 | 6 | 11 | 3 | 6 | 11 | 132 | 50 | 12 |
| C P O | 1005-872-4445 | PIN, LOCK: 7792920 (19205) | EA | 1 | 9 | 21 | 40 | 9 | 21 | 40 | 480 | 100 | 12 |
| C P O | 1005-608-5037 | PLUG ASSEMBLY, BOLT: 7791523 (19205) | EA | 1 | 2 | 3 | 5 | 2 | 3 | 5 | 60 | 10 | 12 |
| C P O | | ACTUATOR ASSEMBLY, CAM: 7269063 (19205) | EA | 1 | 2 | 3 | 5 | 2 | 3 | 5 | 60 | 10 | 12 |

Section V. DIRECT SUPPORT AND GENERAL SUPPORT REPAIR PARTS LIST —Continued

| (1) Source Maint and Recov code | | | (2) Federal Stock No. | (3) Description Reference Number & Mfr Code | (4) Unit of meas | (5) Qty inc in unit | (6) 30-day DS maint allowance | | | (7) 30-day GS maint allowance | | | (8) 1-yr shw per 100 equip cntry | (9) Depot maint shw per 100 equip | Illustration | | |
|------------------------------------|--------------|--------------|--------------------------|---|---|------------------------|----------------------------------|--------------|---------------|----------------------------------|--------------|---------------|-------------------------------------|--------------------------------------|------------------|-----------------|----|
| (a) Source | (b) Maint | (c) Recov | | | | | (a) 1-20 | (b) 21-50 | (c) 51-100 | (a) 1-20 | (b) 21-50 | (c) 51-100 | | | (a) Figure No | (b) Item No. | |
| C | P | O | .. | 1005-608-5061 | SPRING, HELICAL, COMPRESSION: 7269087 (19205) | EA | 1 | 2 | 4 | 7 | 2 | 4 | 7 | 84 | 100 | 12 | 4 |
| C | P | O | .. | 1005-608-5039 | BEARING, FIRING, PIN: 7269065 (19205) | EA | 1 | 1 | 2 | 4 | 1 | 2 | 4 | 48 | 6 | 12 | 5 |
| C | P | O | .. | 1005-872-4443 | PIN, FIRING: 11010376 (19205) | EA | 1 | 11 | 26 | 49 | 11 | 26 | 49 | 588 | 100 | 12 | 6 |
| | P | O | .. | 5315-839-0901 | PIN, SPRING: MS39086-81 (96906) | EA | 1 | REF | REF | REF | REF | REF | REF | REF | REF | 12 | 7 |
| C | P | O | .. | 1005-872-4442 | EJECTOR, CARTRIDGE: 11010375 (19205) | EA | 1 | 10 | 23 | 44 | 10 | 23 | 44 | 528 | 50 | 12 | 8 |
| C | P | O | .. | 1005-608-5059 | SPRING, HELICAL, COMPRESSION: 7269085 (19205) | EA | 1 | 10 | 23 | 44 | 10 | 23 | 44 | 528 | 100 | 12 | 9 |
| C | P | O | .. | 1005-779-6030 | EXTRACTOR, CARTRIDGE: 7790907 (19205) | EA | 1 | 6 | 14 | 27 | 6 | 14 | 27 | 324 | 100 | 12 | 10 |
| C | P | O | .. | 1005-608-5057 | PLUNGER, EXTRACTOR: 7269083 (19205) | EA | 1 | 4 | 8 | 14 | 4 | 8 | 14 | 168 | 20 | 12 | 11 |
| C | P | O | .. | 1005-608-5060 | SPRING, HELICAL, COMPRESSION: 7269086 (19205) | EA | 1 | 6 | 14 | 27 | 6 | 14 | 27 | 324 | 72 | 12 | 12 |
| | P | D | .. | 1005-872-4441 | BOLT, BREECH: 11010358 (19205) | EA | 1 | | | | | | | 50 | 12 | 13 | |
| ROD ASSEMBLY, OPERATING | | | | | | | | | | | | | | | | | |
| C | P | F | .. | 5315-940-9490 | 11686309 PIN, SPRING: 3 / 32 NOM DIA, 5 / 16 LG MS51923-105 (96906) | EA | 1 | 3 | 6 | 11 | 3 | 6 | 11 | 132 | 20 | 13 | 1 |
| C | P | F | .. | 5315-919-7272 | PIN, GROOVED, HEADLESS: 11010215 (19205) | EA | 1 | 2 | 4 | 7 | 2 | 4 | 7 | 84 | 8 | 13 | 2 |
| C | P | F | .. | 1005-788-6109 | ROLLER, YOKE: 7790942 (19205) | EA | 1 | 3 | 6 | 11 | 3 | 6 | 11 | 132 | 10 | 13 | 3 |
| HANDLE ASSEMBLY | | | | | | | | | | | | | | | | | |
| C | P | F | .. | 1005-608-5208 | 7791621 RETAINER, COCKING HANDLE:..... | EA | 1 | 1 | 2 | 2 | 1 | 2 | 2 | 24 | 8 | 14 | 1 |
| C | P | F | .. | 1005-066-6061 | 7269237 (19205) SPRING, HELICAL, COMPRESSION:..... | EA | 1 | 1 | 2 | 2 | 1 | 2 | 2 | 24 | 100 | 14 | 2 |
| C | P | F | .. | 1005-608-5210 | 7791522 (19205) SLIDE ASSEMBLY, COCKING HANDLE: 7269239 (19205) | EA | 1 | 2 | 4 | 7 | 2 | 4 | 7 | 84 | 8 | 14 | 3 |

Section V. DIRECT SUPPORT AND GENERAL SUPPORT REPAIR PARTS LIST —Continued

| (1) Source Maint and Recov code | | (2) Federal Stock No. | (3) Description | (4) Unit of meas | (5) Qty inc in unit | (6) 30-day DS maint allowance | | | (7) 30-day GS maint allowance | | | (8) 1-yr shw per 100 equip cntry | (9) Depot maint shw per 100 equip | (10) Illustration | |
|--|-----|--------------------------|--|---------------------|------------------------|----------------------------------|-----|-----|----------------------------------|-----|-----|-------------------------------------|--------------------------------------|----------------------|------------------|
| (a) | (b) | | | | | (c) | (a) | (b) | (c) | (a) | (b) | | | (c) | (a) Figure No |
| Reference Number & Mfr Code | | | | | | | | | | | | | | | |
| Usable on code | | | | | | | | | | | | | | | |
| REPAIR PARTS FOR ARMAMENT SUBSYSTEM M23 (EXCLUDING MACHINE GUN M60D) | | | | | | | | | | | | | | | |
| BAG, EJECTION CONTROL | | | | | | | | | | | | | | | |
| 11699714 | | | | | | | | | | | | | | | |
| C | P O | 1005-903-1146 | BAG, EMPTY CARTRIDGE: | EA | 1 | 2 | 4 | 7 | 2 | 4 | 7 | 84 | 9 | 15 | 1 |
| | | | 11699740 (19205) | | | | | | | | | | | | |
| X1 | | | FRAME ASSEMBLY: | | 1 | | | | | | | | | 15 | 2 |
| | | | 11699695 (19204) | | | | | | | | | | | | |
| C | P O | 5315-815-1405 | PIN, COTTER: | EA | 1 | REF | REF | REF | REF | REF | REF | REF | REF | 15 | 3 |
| | | | MS24665-151 (96906) | | | | | | | | | | | | |
| C | P O | 5315-903-1038 | PIN, STRAIGHT, HEADED: | EA | 2 | 1 | 2 | 4 | 1 | 2 | 4 | 48 | 10 | 15 | 4 |
| | | | 11699713 (19205) | | | | | | | | | | | | |
| C | P O | 1005-903-1039 | SPRING, HELICAL, TORSION: | EA | 2 | 1 | 2 | 4 | 1 | 2 | 4 | 48 | 10 | 15 | 5 |
| | | | 11699712 (19205) | | | | | | | | | | | | |
| C | P O | 1005-903-1040 | LATCH, SAFETY, REAR BRACKET: | EA | 1 | 2 | 3 | 5 | 2 | 3 | 5 | 60 | 10 | 15 | 6 |
| | | | 11699711 (19205) | | | | | | | | | | | | |
| C | P O | 5315-753-3635 | PIN, SPRING: TABULAR COILED, 3 / 32 DIA, 3 / 8 LG. | EA | 2 | 1 | 2 | 4 | 1 | 2 | 4 | 48 | 10 | 15 | 7 |
| | | | MS51923-104 (96906) | | | | | | | | | | | | |
| N | X1 | | FRAME SUBASSEMBLY: | | 1 | | | | | | | | | 15 | 8 |
| | | | 11699696 (19204) | | | | | | | | | | | | |
| MOUNT ASSEMBLY (FOR M23 ONLY) | | | | | | | | | | | | | | | |
| C | P O | | 11699749 | A | | | | | | | | | | | |
| | | | PIN, COTTER: | A HD | 4 | * | 1 | 1 | * | 1 | 1 | 12 | 50 | 16 | 1 |
| | | | MS24665-153 (96906) | | | | | | | | | | | | |
| C | P O | 5310-167-1280 | NUT, CASTELLATED, HEXAGON: | A HD | 4 | * | 1 | 1 | * | 1 | 1 | 12 | 50 | 16 | 2 |
| | | | AN310-C4 (88044) | | | | | | | | | | | | |
| C | P O | 5310-141-1795 | WASHER, FLAT: | A HD | 4 | * | 1 | 1 | * | 1 | 1 | 12 | 50 | 16 | 3 |
| | | | AN960-416 (88044) | | | | | | | | | | | | |
| C | P O | 5306-151-0528 | BOLT, CLEVIS: | A EA | 4 | 1 | 2 | 2 | 1 | 2 | 2 | 24 | 50 | 16 | 4 |
| | | | AN24-26 (88044) | | | | | | | | | | | | |
| C | P O | 9505-293-4208 | WIRE, STEEL, CORROSION RESISTING: | A FT | V | REF | REF | REF | REF | REF | REF | REF | REF | 16 | 5 |
| | | | MS2095C32 (96906) | | | | | | | | | | | | |
| C | P O | 5305-952-1967 | SCREW, CAP, SOCKET-HEAD: 3 / 8-24UNF, | EA | 6 | 2 | 4 | 6 | 2 | 4 | 6 | 72 | 50 | 16 | 6 |
| | | | 1.150 LG | | | | | | | | | | | | |
| | | | MS24678-47 (96906) | | | | | | | | | | | | |
| C | P O | 5310-080-6004 | WASHER, FLAT: | A EA | 6 | * | 1 | 1 | * | 1 | 1 | 12 | 150 | 16 | 7 |
| | | | MS27183-14 (96906) | | | | | | | | | | | | |
| C | P O | 1005-903-1036 | BEAM, MOUNTING: | A EA | 1 | 2 | 3 | 5 | 2 | 3 | 5 | 60 | 10 | 16 | 8 |
| | | | 11699727 (19205) | | | | | | | | | | | | |

Section V. DIRECT SUPPORT AND GENERAL SUPPORT REPAIR PARTS LIST—Continued

| (1) Source Matrix and Recovery code | | | (2) Federal Stock No. | (3) Description Reference Number & Mfr. Code | (4) Unit of issue | (5) Qty in unit | (6) 30-day D6 maint allowance | | | (7) 30-day C3 maint allowance | | | (8) 1-yr alt per 100 equip category | (9) Depot maint alt per 100 equip | (10) Illustration | | |
|--|---------------|-----------------|--------------------------------|---|----------------------------|--------------------------|-------------------------------------|--------------|--------------|-------------------------------------|--------------|--------------|---|---|----------------------|--------------------|----|
| (a) Source | (b) Matrix | (c) Recovery | | | | | (a) 1-30 | (b) 31-60 | (c) 61-90 | (a) 1-30 | (b) 31-60 | (c) 61-90 | | | (a) Figure No. | (b) Item No. | |
| C | P | O | 1005-903-1034 | BEAM, MOUNTING: 11699728 (19205) | A | EA | 1 | 2 | 3 | 5 | 2 | 3 | 5 | 60 | 10 | 16 | 9 |
| C | P | O | 5315-597-7092 | PIN, COTTER: 1/16 DIA, 2 1/2 LG. MS24665-144 (96906) | A | EA | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 12 | 100 | 16 | 10 |
| C | P | O | 5310-903-1035 | NUT, PLAIN, ROUND: 11699724 (19205) | A | EA | 1 | 1 | 2 | 4 | 1 | 2 | 4 | 48 | 10 | 16 | 11 |
| X1 | | | | POST ASSEMBLY, PINTLE: 11699723 (19205) | A | | 1 | | | | | | | | | 16 | 12 |
| X1 | | | | TUBE ASSEMBLY, BASE: 11699733 (19205) | A | | 1 | | | | | | | | | 16 | 13 |
| C | P | O | 1005-903-1094 | AMMUNITION BOX AND COVER ASSEMBLY: 11699743 (19205) | A | EA | 1 | 1 | 2 | 2 | 1 | 2 | 2 | 24 | 10 | 16 | 14 |
| N | A | O | | CHUTE ASSEMBLY, FLEXIBLE: 7792346-5 (19205) | A | | 1 | | | | | | | | | 16 | 15 |
| C | P | O | 1005-940-9996 | ADAPTER, AMMUNITION CHUTE: 11686424 (19205) | A | EA | 1 | 1 | 2 | 3 | 1 | 2 | 3 | 36 | 15 | 16 | 16 |
| C | A | O | | BRACE ASSEMBLY, CHUTE: 11699819 (19205) | A | | 1 | | | | | | | | | 16 | 17 |
| C | P | O | 5310-061-7325 | POST ASSEMBLY, PINTLE 11699741 NUT, SELF-LOCKING, HEXAGON: MS21045-4 (96906) | A | EA | 1 | 3 | 6 | 11 | 3 | 6 | 11 | 132 | 100 | 17 | 1 |
| C | P | O | 5305-267-8983 | SCREW, CAP, HEXAGON-HEAD: 1/4-28UNF, 2.500 LG MS90726-16 (96906) | A | EA | 1 | 1 | 2 | 3 | 1 | 2 | 3 | 36 | 70 | 17 | 2 |
| C | P | O | 5310-263-2862 | NUT, SELF-LOCKING, HEXAGON: MS21045C3 (96906) | A | EA | 1 | 2 | 4 | 6 | 2 | 4 | 6 | 72 | 100 | 17 | 3 |
| C | P | O | 5306-939-1045 | BOLT, MACHINE: NO. 10-32 UNF-3A, 2 1/4 LG. MS9451-30 (96906) | A | EA | 1 | 1 | 2 | 2 | 1 | 2 | 2 | 24 | 5 | 17 | 4 |
| C | P | O | 1005-903-1043 | SPACER, SLEEVE: 11699725 (19205) | A | EA | 1 | 2 | 3 | 5 | 2 | 3 | 5 | 60 | 7 | 17 | 5 |
| C | P | O | 1005-903-1042 | LOCK, TRAVERSING: 11699722 (19205) | A | EA | 1 | 2 | 3 | 5 | 1 | 3 | 5 | 60 | 7 | 17 | 6 |
| C | P | O | 5315-058-6078 | PIN, SPRING: MS16562-126 (96906) | A | EA | 1 | 2 | 4 | 6 | 2 | 4 | 6 | 72 | 200 | 17 | 7 |
| C | P | O | 1005-946-9222 | POST AND PINTLE SUBASSEMBLY: 11699826 (19205) | A | EA | 1 | 1 | 2 | 4 | 1 | 2 | 4 | 48 | 10 | 17 | 8 |
| C | P | O | 5305-909-3010 | CONSISTING OF: RETAINER, BALL BEARING: 11699670 (19205) | D | EA | 1 | 2 | 3 | 5 | 2 | 3 | 5 | 60 | 5 | 17 | 9 |

Section V. DIRECT SUPPORT AND GENERAL SUPPORT REPAIR PARTS LIST —Continued

| (1) Source Matrix and Recovery code | | | (2) Federal Stock No. | (3) Description | (4) Unit of issue | (5) Qty in unit | (6) 30-day D6 maint allowance | | | (7) 30-day C3 maint allowance | | | (8) 1-yr alt per 100 equip category | (9) Depot maint alt per 100 equip | (10) Illustration | |
|--|---------------|-----------------|--------------------------------|---|----------------------------|--------------------------|-------------------------------------|--------------|--------------|-------------------------------------|--------------|--------------|---|---|----------------------|--------------------|
| (a) Source | (b) Matrix | (c) Recovery | | | | | (a) 1-30 | (b) 31-60 | (c) 61-90 | (a) 1-30 | (b) 31-60 | (c) 61-90 | | | (a) Figure No. | (b) Item No. |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| Reference Number & Mfr. Code | | | | | | | | | | | | | | | | |
| C | P | O | 3110-100-6149 | BALL, BEARING: MS19059-47 (96906) | EA | 12 | REF | REF | REF | REF | REF | REF | REF | REF | 17 | 10 |
| X1 | | | | PINTLE: 11699721 (19205) | A | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 17 | 11 |
| X1 | | | | POST SUBASSEMBLY: 11699806 (19205) | A | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 17 | 12 |
| C | P | F | 1005-903-1093 | AMMUNITION BOX AND COVER ASSEMBLY 11699743 | A | EA | 1 | 1 | 2 | 3 | 1 | 2 | 3 | 6 | 18 | 1 |
| C | P | F | 1005-912-3629 | COVER ASSEMBLY, AMMUNITION BOX: 11699741 (19205) | EA | 2 | REF | REF | REF | REF | REF | REF | REF | REF | 18 | 2 |
| C | P | F | 1005-912-3627 | SLEEVE, SWAGING: 8427871 (19204) | EA | 1 | REF | REF | REF | REF | REF | REF | REF | REF | 18 | 3 |
| X1 | | | | CABLE, PIN, SAFETY: 8427869-7 (19204) BOX, AMMUNITION: 11699742 (19205) | A | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 18 | 4 |
| C | P | O | 1005-972-8128 | CHUTE, AMMUNITION, FLEXIBLE- 7.62 MILLIMETER 7792346-5 | A | EA | 1 | 2 | 4 | 7 | 2 | 4 | 7 | 84 | 15 | 19 |
| C | P | O | 1005-972-8126 | 7792345 (19205) LINK, AMMUNITION CHUTE: 7792343 (19205) | A | EA | 46 | 5 | 11 | 21 | 5 | 11 | 21 | 252 | 100 | 19 |
| C | P | O | 1005-972-8127 | 7792344 (19205) FITTING, BOX END: | A | EA | 1 | 2 | 4 | 7 | 2 | 4 | 7 | 84 | 15 | 19 |
| C | P | O | 5310-982-4988 | BRACE ASSEMBLY, CHUTE 11699819 | A | EA | 2 | 1 | 2 | 4 | 1 | 2 | 4 | 48 | 50 | 20 |
| C | P | O | 1005-999-3055 | NUT, SELF-LOCKING, HEXAGON: MS21045C4 (96906) | A | EA | 2 | 1 | 2 | 4 | 1 | 2 | 4 | 48 | 20 | 20 |
| C | P | O | 1005-999-3053 | CLAMP ASSEMBLY, STUD: 11699825 (19205) | A | EA | 1 | 1 | 2 | 4 | 1 | 2 | 4 | 48 | 20 | 20 |
| P | O | | 5310-263-2862 | CLAMP ASSEMBLY, SPRING RETAINER: 11699822 (19205) | A | EA | 3 | REF | REF | REF | REF | REF | REF | REF | 20 | 4 |
| C | P | O | 1005-999-3054 | NUT, SELF-LOCKING, HEXAGON: MS21045C3 (96906) SPRING, CHUTE BRACE ASSEMBLY: 11699823 (19205) | A | EA | 1 | 1 | 2 | 4 | 1 | 2 | 4 | 48 | 20 | 5 |

Section VI. DIRECT SUPPORT AND GENERAL SUPPORT TOOLS, TEST AND SUPPORT EQUIPMENT LIST

[illegible]

Section VI. DIRECT SUPPORT AND GENERAL SUPPORT TOOLS, TEST AND SUPPORT EQUIPMENT LIST

[illegible]

**Section VII. INDEX - FEDERAL STOCK NUMBER AND
REFERENCE NUMBER CROSS-REFERENCE TO FIGURE
AND ITEM NUMBER**

| STOCK NUMBER | FIGURE NO | ITEM NO | STOCK NUMBER | FIGURE NO | ITEM NO |
|---------------|--------------|------------|---------------|--------------|------------|
| 1005-013-7030 | 7 | 11 | 1005-694-1662 | 25 | 6 |
| 1005-020-8684 | 6 | 6 | 1005-726-6109 | 25 | 7 |
| 1005-061-5624 | 23 | 4 | 1005-726-6110 | 25 | 10 |
| 1005-061-5638 | 23 | 2 | 1005-763-1863 | 4 | 25 |
| 1005-066-6061 | 14 | 2 | 1005-768-7084 | 8 | 1 |
| 1005-083-0291 | 4 | 48 | 1005-779-6030 | 12 | 10 |
| 1005-288-3565 | 25 | 11 | 1005-788-6109 | 13 | 3 |
| 1005-350-4100 | 25 | 9 | 1005-791-5420 | 25 | 15 |
| 1005-556-4174 | 25 | 8 | 1005-793-6761 | 25 | 5 |
| 1005-603-9285 | 4 | 37 | 1005-870-2118 | 7 | 23 |
| 1005-608-5001 | 4 | 1 | 1005-872-4441 | 12 | 13 |
| 1005-608-5002 | 5 | 10 | 1005-872-4442 | 12 | 8 |
| 1005-608-5004 | 5 | 8 | 1005-872-4443 | 12 | 6 |
| 1005-608-5005 | 5 | 5 | 1005-872-4445 | 12 | 2 |
| 1005-608-5008 | 5 | 2 | 1005-875-4350 | 5 | 7 |
| 1005-608-5020 | 6 | 8 | 1005-903-1034 | 16 | 9 |
| 1005-608-5021 | 6 | 7 | 1005-903-1036 | 16 | 8 |
| 1005-608-5026 | 6 | 4 | 1005-903-1039 | 15 | 5 |
| 1005-608-5027 | 6 | 3 | 1005-903-1040 | 15 | 6 |
| 1005-608-5037 | 12 | 3 | 1005-903-1042 | 17 | 6 |
| 1005-608-5039 | 12 | 5 | 1005-903-1043 | 17 | 5 |
| 1005-608-5057 | 12 | 11 | 1005-903-1088 | 1 | 1 |
| 1005-608-5059 | 12 | 9 | 1005-903-1088 | 2 | 1 |
| 1005-608-5060 | 12 | 12 | 1005-903-1088 | 3 | 1 |
| 1005-608-5061 | 12 | 4 | 1005-903-1090 | 2 | 2 |
| 1005-608-5089 | 7 | 12 | 1005-903-1090 | 3 | 2 |
| 1005-608-5090 | 7 | 13 | 1005-903-1091 | 21 | 5 |
| 1005-608-5091 | 7 | 19 | 1005-903-1092 | 21 | 3 |
| 1005-608-5093 | 7 | 14 | 1005-903-1093 | 18 | 1 |
| 1005-608-5096 | 7 | 3 | 1005-903-1094 | 16 | 14 |
| 1005-608-5097 | 7 | 2 | 1005-903-1146 | 15 | 1 |
| 1005-608-5098 | 7 | 4 | 1005-908-4141 | 4 | 24 |
| 1005-608-5099 | 7 | 25 | 1005-909-3002 | 1 | 2 |
| 1005-608-5109 | 7 | 22 | 1005-909-3002 | 2 | 3 |
| 1005-608-5110 | 7 | 21 | 1005-909-3002 | 3 | 3 |
| 1005-608-5111 | 7 | 27 | 1005-909-3003 | 4 | 10 |
| 1005-608-5113 | 7 | 28 | 1005-909-3005 | 11 | 3 |
| 1005-608-5114 | 7 | 30 | 1005-909-3008 | 11 | 7 |
| 1005-608-5118 | 7 | 8 | 1005-909-3009 | 11 | 8 |
| 1005-608-5119 | 7 | 7 | 1005-909-3011 | 4 | 21 |
| 1005-608-5124 | 7 | 15 | 1005-909-3012 | 9 | 8 |
| 1005-608-5172 | 4 | 26 | 1005-909-3013 | 11 | 10 |
| 1005-608-5180 | 11 | 5 | 1005-909-3014 | 11 | 2 |
| 1005-608-5182 | 11 | 4 | 1005-909-3016 | 4 | 23 |
| 1005-608-5184 | 11 | 6 | 1005-909-3017 | 11 | 9 |
| 1005-608-5203 | 4 | 35 | 1005-909-3018 | 10 | 4 |
| 1005-608-5208 | 14 | 1 | 1005-909-3019 | 22 | 3 |
| 1005-608-5210 | 14 | 3 | 1005-909-3020 | 4 | 22 |
| 1005-608-5214 | 4 | 3 | 1005-909-3021 | 4 | 17 |
| 1005-608-5218 | 4 | 2 | 1005-909-3022 | 10 | 7 |
| 1005-608-5221 | 4 | 34 | 1005-909-3023 | 4 | 11 |
| 1005-608-5270 | 4 | 33 | 1005-909-3024 | 4 | 12 |
| 1005-608-5271 | 4 | 27 | 1005-909-3025 | 9 | 5 |
| 1005-608-5299 | 8 | 3 | 1005-909-3031 | 22 | 4 |
| 1005-608-5300 | 8 | 2 | 1005-909-4179 | 10 | 3 |
| 1005-690-3115 | 25 | 4 | 1005-912-1146 | 7 | 9 |
| 1005-690-3502 | 4 | 44 | 1005-912-3627 | 4 | 14 |
| 1005-690-3504 | 4 | 43 | 1005-912-3627 | 18 | 3 |
| 1005-690-3505 | 4 | 42 | 1005-912-3627 | 22 | 6 |

**Section VII. INDEX-FEDERAL STOCK NUMBER AND
REFERENCE NUMBER CROSS-REFERENCE TO FIGURE
AND ITEM NUMBER—Continued**

| STOCK NUMBER | FIGURE NO | ITEM NO | STOCK NUMBER | FIGURE NO | ITEM NO |
|---------------|--------------|------------|---------------|--------------|------------|
| 1005-912-3628 | 9 | 2 | 5315-058-6078 | 17 | 7 |
| 1005-912-3629 | 4 | 13 | 5315-058-6079 | 9 | 3 |
| 1005-912-3629 | 18 | 2 | 5315-066-6062 | 4 | 41 |
| 1005-912-3629 | 22 | 5 | 5315-067-3871 | 4 | 40 |
| 1005-912-3629 | 23 | 5 | 5315-067-3871 | 7 | 10 |
| 1005-912-3712 | 4 | 28 | 5315-087-8226 | 21 | 2 |
| 1005-913-0928 | 4 | 31 | 5315-234-1854 | 16 | 1 |
| 1005-918-2608 | 4 | 32 | 5315-239-8019 | 9 | 6 |
| 1005-918-2609 | 4 | 30 | 5315-409-4069 | 5 | 1 |
| 1005-934-8312 | 4 | 39 | 5315-597-7092 | 16 | 10 |
| 1005-940-9996 | 16 | 16 | 5315-608-5022 | 6 | 2 |
| 1005-946-9222 | 17 | 8 | 5315-608-5024 | 6 | 5 |
| 1005-972-8126 | 19 | 2 | 5315-608-5116 | 7 | 29 |
| 1005-972-8127 | 19 | 3 | 5315-608-5178 | 4 | 18 |
| 1005-972-8128 | 19 | 1 | 5315-608-5314 | 24 | 1 |
| 1005-987-9682 | 4 | 6 | 5315-753-3635 | 15 | 7 |
| 1005-987-9907 | 5 | 9 | 5315-761-6881 | 4 | 20 |
| 1005-994-9647 | 25 | 2 | 5315-812-3312 | 10 | 1 |
| 1005-999-3053 | 20 | 3 | 5315-815-1405 | 4 | 7 |
| 1005-999-3054 | 20 | 5 | 5315-815-1405 | 15 | 3 |
| 1005-999-3055 | 20 | 2 | 5315-839-0901 | 4 | 29 |
| 1055-999-6003 | 7 | 1 | 5315-839-0901 | 12 | 7 |
| 1005-999-7783 | 25 | 16 | 5315-878-8615 | 7 | 20 |
| 1680-516-8427 | 25 | 17 | 5315-903-1038 | 15 | 4 |
| 3110-100-6149 | 10 | 5 | 5315-909-3004 | 11 | 1 |
| 3110-100-6149 | 17 | 10 | 5315-909-3006 | 4 | 8 |
| 3110-100-6149 | 22 | 2 | 5315-909-3007 | 9 | 7 |
| 3120-062-4488 | 23 | 3 | 5315-909-3026 | 9 | 4 |
| 4010-061-5630 | 23 | 6 | 5315-919-7272 | 13 | 2 |
| 4933-652-9950 | 25 | 14 | 5315-940-9490 | 13 | 1 |
| 4933-776-0037 | 24 | 3 | 5315-994-9648 | 12 | 1 |
| 5120-690-3766 | 25 | 1 | 5320-061-8216 | 21 | 4 |
| 5305-267-8983 | 17 | 2 | 5320-071-8945 | 4 | 49 |
| 5305-608-5025 | 6 | 1 | 5320-075-7225 | 4 | 45 |
| 5205-753-4113 | 4 | 36 | 5320-083-0290 | 4 | 47 |
| 5305-909-3010 | 17 | 9 | 5320-608-5032 | 6 | 9 |
| 5305-909-3010 | 22 | 1 | 5320-608-5085 | 7 | 26 |
| 5305-952-1967 | 16 | 6 | 5320-608-5112 | 7 | 24 |
| 5306-151-0528 | 16 | 4 | 5340-884-8666 | 23 | 7 |
| 5306-939-1045 | 17 | 4 | 5340-909-3033 | 9 | 1 |
| 5310-061-7325 | 17 | 1 | 5340-909-3034 | 22 | 7 |
| 5310-080-6004 | 16 | 7 | 5340-913-5486 | 4 | 15 |
| 5310-141-1795 | 16 | 3 | 5340-952-4705 | 10 | 6 |
| 5310-158-4447 | 10 | 2 | 5360-608-5125 | 7 | 17 |
| 5310-167-1280 | 16 | 2 | 5360-608-5269 | 4 | 4 |
| 5310-263-2862 | 17 | 3 | 5360-608-5302 | 8 | 4 |
| 5310-263-2862 | 20 | 4 | 6850-826-0981 | 25 | 18 |
| 5310-608-5009 | 5 | 6 | 7510-763-5996 | 25 | 13 |
| 5310-608-5315 | 24 | 2 | 8020-244-0153 | | |
| 5310-810-3704 | 23 | 1 | 8415-266-8843 | 25 | 12 |
| 5310-903-1035 | 16 | 11 | 9150-889-3522 | 25 | 3 |
| 5310-981-8623 | 7 | 31 | 9505-293-4208 | 4 | 9 |
| 5310-982-4988 | 20 | 1 | 9505-293-4208 | 5 | 4 |
| 5315-013-7137 | 21 | 1 | 9505-293-4208 | 16 | 5 |

**Section VII. INDEX-FEDERAL STOCK NUMBER AND
REFERENCE NUMBER CROSS-REFERENCE TO FIGURE
AND ITEM NUMBER—Continued**


| REFERENCE NUMBER | MFG CODE | FIG NO | ITEM NO | REFERENCE NUMBER | MFG CODE | FIG NO | ITEM NO |
|------------------|-------------|-----------|------------|------------------|-------------|-----------|------------|
| AN24-26 | 88044 | 16 | 4 | 11686442 | 19205 | 25 | 16 |
| AN310C4 | 88044 | 16 | 2 | 11686976 | 19205 | 4 | 39 |
| AN960-416 | 88044 | 16 | 3 | 11699655 | 19205 | 2 | 4 |
| MILE43183 | 81349 | 25 | 13 | 11699656 | 19205 | 22 | 8 |
| MIL125135 | 81349 | 25 | 18 | 11699658 | 19205 | 2 | 4 |
| MILM11199 | 81349 | 25 | 12 | 11699659 | 19205 | 22 | 8 |
| MS16562-80 | 96906 | 23 | 1 | 11699669 | | 22 | 3 |
| MS16562-119 | 96906 | 10 | 1 | 11699670 | 19205 | 17 | 9 |
| MS16562-126 | 96906 | 17 | 7 | 11699670 | 19205 | 22 | 1 |
| MS16562-127 | 96906 | 9 | 3 | 11699671 | 19205 | 22 | 7 |
| MS16562-151 | 96906 | 4 | 20 | 11699674-1 | 19205 | 22 | 4 |
| MS17990C510 | 96906 | 23 | 7 | 11699674-2 | 19204 | 23 | 4 |
| MS17990C519 | 96906 | 4 | 15 | 11699679 | 19205 | 2 | 2 |
| MS19059-47 | 96906 | 10 | 5 | 11699679 | 19205 | 3 | 2 |
| MS19059-47 | 96906 | 17 | 10 | 11699683 | 19205 | 21 | 5 |
| MS19059-47 | 96906 | 22 | 2 | 11699684 | 19205 | 21 | 3 |
| MS20392-2C21 | 96906 | 21 | 2 | 11699695 | 19204 | 15 | 2 |
| MS20613-4P10 | 96906 | 21 | 4 | 11699711 | 19205 | 15 | 6 |
| MS20995C32 | 96906 | 4 | 9 | 11699712 | 19205 | 15 | 4 |
| MS20995C32 | 96906 | 5 | 4 | 11699713 | 19205 | 15 | 4 |
| MS20995C32 | 96906 | 16 | 5 | 11699714 | 19205 | 1 | 1 |
| MS21045-4 | 96906 | 17 | 1 | 11699714 | 19205 | 2 | 1 |
| MS21045C3 | 96906 | 17 | 3 | 11699714 | 19205 | 3 | 1 |
| MS21045C3 | 96906 | 20 | 4 | 11699721 | 19205 | 17 | 11 |
| MS21045C4 | 96906 | 20 | 1 | 11699722 | 19205 | 17 | 6 |
| MS24585-75 | 96906 | 10 | 6 | 11699723 | 19205 | 16 | 12 |
| MS24665-18 | 96906 | 4 | 40 | 11699724 | 19205 | 16 | 11 |
| MS24665-18 | 96906 | 7 | 10 | 11699725 | 19205 | 17 | 5 |
| MS24665-86 | 96906 | 9 | 6 | 11699727 | 19205 | 16 | 8 |
| MS24665-144 | 96906 | 16 | 10 | 11699728 | 19205 | 16 | 9 |
| MS24665-151 | 96906 | 4 | 7 | 11699733 | 19205 | 16 | 13 |
| MS24665-151 | 96906 | 15 | 3 | 11699740 | 19205 | 15 | 1 |
| MS24665-153 | 96906 | 16 | 1 | 11699741 | 19205 | 18 | 1 |
| MS24665-814 | 96906 | 21 | 1 | 11699742 | 19205 | 18 | 4 |
| MS24678-47 | 96906 | 16 | 6 | 11699743 | 19205 | 16 | 14 |
| MS27183-14 | 96906 | 16 | 7 | 11699749 | 19205 | 1 | 3 |
| MS39086-81 | 96906 | 4 | 29 | 11699750 | 19205 | 1 | 2 |
| MS39086-81 | 96906 | 12 | 7 | 11699750 | 19205 | 2 | 3 |
| MS51923-104 | 96906 | 15 | 7 | 11699750 | 19205 | 3 | 3 |
| MS51923-105 | 96906 | 13 | 1 | 11699751 | 19205 | 4 | 12 |
| MS90726-16 | 96906 | 17 | 2 | 11699756 | 19205 | 9 | 8 |
| MS9451-30 | 96906 | 17 | 4 | 11699757 | 19205 | 9 | 7 |
| 11010152 | 19205 | 7 | 11 | 11699763 | 19205 | 10 | 2 |
| 11010155 | 19205 | 4 | 37 | 11699767 | 19205 | 9 | 5 |
| 11010184 | 19205 | 4 | 32 | 11699768 | 19205 | 9 | 4 |
| 11010197 | 19205 | 4 | 31 | 11699769 | 19205 | 9 | 2 |
| 11010215 | 19205 | 13 | 2 | 11699772 | 19205 | 9 | 1 |
| 11010357 | 19205 | 4 | 25 | 11699773 | 19205 | 4 | 19 |
| 11010358 | 19205 | 12 | 13 | 11699774 | 19205 | 11 | 10 |
| 11010375 | 19205 | 12 | 8 | 11699775 | 19205 | 11 | 9 |
| 11010376 | 19205 | 12 | 6 | 11699776 | 19205 | 11 | 8 |
| 11010377 | 19205 | 4 | 30 | 11699777 | 19205 | 11 | 7 |
| 11010518 | 19205 | 4 | 24 | 11699778 | 19205 | 11 | 3 |
| 11686307 | 19204 | 4 | 50 | 11699779 | 19204 | 11 | 1 |
| 11686308 | 19204 | 4 | 46 | 11699780 | 19205 | 11 | 2 |
| 11686309 | 19205 | 4 | 28 | 11699785 | 19205 | 4 | 17 |
| 11686315 | 19205 | 7 | 9 | 11699786 | 19205 | 4 | 22 |
| 11686424 | 19205 | 16 | 16 | 11699787 | 19205 | 4 | 23 |

Section VII. INDEX-FEDERAL STOCK NUMBER AND
REFERENCE NUMBER CROSS-REFERENCE TO FIGURE
AND ITEM NUMBER—Continued

| REFERENCE NUMBER | MFG CODE | FIG NO | ITEM NO | REFERENCE NUMBER | MFG CODE | FIG NO | ITEM NO |
|------------------|----------|--------|---------|------------------|----------|--------|---------|
| 11699788 | 19205 | 4 | 8 | 7269124 | 19205 | 7 | 2 |
| 11699789 | 19205 | 4 | 10 | 7269125 | 19205 | 7 | 4 |
| 11699790 | 19205 | 4 | 11 | 7269126 | 19205 | 7 | 25 |
| 11699793 | 19205 | 4 | 21 | 7269128 | 19205 | 7 | 32 |
| 11699796 | 19204 | 4 | 16 | 7269136 | 19205 | 7 | 22 |
| 11699797 | 19205 | 10 | 7 | 7269137 | 19205 | 7 | 21 |
| 11699798 | 19205 | 10 | 3 | 7269138 | 19205 | 7 | 27 |
| 11699799 | 19205 | 10 | 4 | 7269139 | 19205 | 7 | 24 |
| 11699806 | 19205 | 17 | 12 | 7269140 | 19205 | 7 | 28 |
| 11699814 | 19205 | 7 | 1 | 7269141 | 19205 | 7 | 30 |
| 11699817 | 19205 | 7 | 5 | 7269143 | 19205 | 7 | 29 |
| 11699819 | 19205 | 16 | 17 | 7269144 | 19205 | 7 | 31 |
| 11699822 | 19205 | 20 | 3 | 7269145 | 19205 | 7 | 8 |
| 11699823 | 19205 | 20 | 5 | 7269146 | 19205 | 7 | 7 |
| 11699825 | 19205 | 20 | 2 | 7269149 | 19205 | 7 | 18 |
| 11699826 | 19205 | 17 | 8 | 7269150 | 19205 | 7 | 16 |
| 5019316 | 19204 | 25 | 11 | 7269151 | 19205 | 7 | 15 |
| 51J3817 | 80049 | 25 | 17 | 7269152 | 19205 | 7 | 17 |
| 5564174 | 19204 | 25 | 8 | 7269199 | 19205 | 4 | 26 |
| 7266109 | 19205 | 25 | 7 | 7269205 | 19205 | 4 | 18 |
| 7266110 | 19205 | 25 | 10 | 7269207 | 19205 | 11 | 5 |
| 7266115 | 19205 | 25 | 5 | 7269209 | 19205 | 11 | 4 |
| 7268275 | 19204 | 25 | 6 | 7269211 | 19205 | 11 | 6 |
| 7269027 | 19204 | 4 | 1 | 7269231 | 19205 | 4 | 35 |
| 7269028 | 19205 | 5 | 10 | 7269237 | 19205 | 14 | 1 |
| 7269030 | 19205 | 5 | 8 | 7269239 | 19205 | 14 | 3 |
| 7269031 | 19205 | 5 | 5 | 7269243 | 19205 | 4 | 3 |
| 7269034 | 19205 | 5 | 2 | 7269247 | 19205 | 4 | 2 |
| 7269035 | 19205 | 5 | 6 | 7269250 | 19205 | 4 | 34 |
| 7269046 | 19205 | 6 | 8 | 7269301 | 19205 | 4 | 4 |
| 7269047 | 19205 | 6 | 7 | 7269302 | 19205 | 4 | 33 |
| 7269048 | 19205 | 6 | 2 | 7269303 | 19205 | 4 | 27 |
| 7269050 | 19205 | 6 | 5 | 7269332 | 19205 | 8 | 3 |
| 7269051 | 19205 | 6 | 1 | 7269333 | 19205 | 8 | 2 |
| 7269052 | 19205 | 6 | 4 | 7269335 | 19205 | 8 | 4 |
| 7269053 | 19205 | 6 | 3 | 7269348 | 19205 | 24 | 1 |
| 7269054 | 19205 | 6 | 12 | 7269349 | 19205 | 24 | 2 |
| 7269055 | 19205 | 6 | 14 | 7269411 | 19205 | 4 | 49 |
| 7269056 | 19205 | 6 | 15 | 7790352 | 19204 | 25 | 14 |
| 7269057 | 19205 | 6 | 10 | 7790452 | 19204 | 25 | 4 |
| 7269058 | 19205 | 6 | 9 | 7790551 | 19205 | 4 | 44 |
| 7269059 | 19205 | 6 | 11 | 7790553 | 19205 | 4 | 43 |
| 7269061 | 19205 | 6 | 13 | 7790554 | 19205 | 4 | 42 |
| 7269062 | 19205 | 6 | 16 | 7790559 | 19205 | 4 | 36 |
| 7269063 | 19205 | 12 | 3 | 7790679 | 19205 | 24 | 4 |
| 7269065 | 19205 | 12 | 5 | 7790680 | 19204 | 25 | 1 |
| 7269083 | 19205 | 12 | 11 | 7790724 | 19205 | 8 | 1 |
| 7269085 | 19205 | 12 | 9 | 7790805 | 19205 | 24 | 3 |
| 7269086 | 19205 | 12 | 12 | 7790907 | 19205 | 12 | 10 |
| 7269087 | 19205 | 12 | 4 | 7790942 | 19205 | 13 | 3 |
| 7269112 | 19205 | 7 | 26 | 7791009 | 19205 | 25 | 15 |
| 7269114 | 19205 | 4 | 5 | 7791247 | 19205 | 5 | 7 |
| 7269116 | 19205 | 7 | 12 | 7791270 | 19205 | 7 | 20 |
| 7269117 | 19205 | 7 | 13 | 7791271 | 19205 | 7 | 23 |
| 7269118 | 19205 | 7 | 19 | 7791359 | 19205 | 25 | 7 |
| 7269119 | 19205 | 7 | 6 | 7791522 | 19205 | 14 | 2 |
| 7269120 | 19205 | 7 | 14 | 7791523 | 19205 | 12 | 2 |
| 7269123 | 19205 | 7 | 3 | 7791595 | 19205 | 25 | 2 |


Section VII. INDEX-FEDERAL STOCK NUMBER AND
REFERENCE NUMBER CROSS-REFERENCE TO FIGURE
AND ITEM NUMBER—Continued

| REFERENCE NUMBER | MFG CODE | FIG NO | ITEM NO | REFERENCE NUMBER | MFG CODE | FIG NO | ITEM NO |
|------------------|----------|--------|---------|------------------|----------|--------|---------|
| 7791621 | 19205 | 4 | 38 | 7793010 | 19205 | 6 | 6 |
| 7792069 | 19205 | 4 | 43 | 8427869-3 | 19204 | 23 | 6 |
| 7792085 | 19205 | 5 | 1 | 8427869-7 | 19204 | 4 | 14 |
| 7792086 | 19205 | 4 | 45 | 8427869-7 | 19204 | 18 | 3 |
| 7792093 | 19205 | 5 | 9 | 8427869-7 | 19204 | 21 | 6 |
| 7792096 | 19205 | 4 | 6 | 8427871 | 19204 | 4 | 13 |
| 7792097 | 19205 | 8 | 5 | 8427871 | 19204 | 18 | 2 |
| 7792343 | 19205 | 19 | 2 | 8427871 | 19204 | 22 | 5 |
| 7792344 | 19205 | 19 | 3 | 8427871 | 19204 | 23 | 5 |
| 7792345 | 19205 | 19 | 1 | 8436675 | 19204 | 3 | 4 |
| 7792346-5 | 19204 | 16 | 15 | 8436680 | 19204 | 23 | 8 |
| 7792920 | 19205 | 12 | 1 | 8436685 | 19204 | 23 | 2 |
| 7792972 | 19205 | 4 | 47 | 8436686 | 19204 | 23 | 3 |
| 7792974 | 19205 | 4 | 48 | 8448466 | 19204 | 25 | 9 |
| 7793009 | 19205 | 5 | 3 | | | | |




WE 67747

Figure 1. Components of Armament Subsystem M23.




WE 67748

Figure 2. Components of Armament Subsystem M24.




WE 67749

Figure 3. Components of Armament Subsystem M41.




WE 1077A

Figure 4. 7.62 Millimeter Machine Gun M60D—Partially Exploded View (Sheet 1 of 2).




WE 67750

Figure 4. 7.62 Millimeter Machine Gun M60D—Partially Exploded View (Sheet 2 of 2).




WE 10402

Figure 5. Barrel Assembly with Bipod Assembly—Partially Exploded View.




WE 69444

Figure 6. Bipod Assembly—Partially Exploded View.




WE 67751

Figure 7. Cover Assembly—Exploded View.




WE 10494

Figure 10. Rear Sight Assembly—Exploded View.




WE 13559

Figure 11. Sear and Safety Housing Assembly—Exploded View.




WE 9963

Figure 12. Breech Bolt Assembly—Exploded View.




WE 10533

Figure 13. Operating Rod Assembly—Partially Exploded View.



WE 68949

Figure 14. Handle Assembly—Exploded View.



WE 68957

Figure 15. Ejection Control Bag—Partially Exploded View.




Figure 16. Mount Assembly M23—Exploded View.




Figure 17. Pintle Post Assembly—Exploded View.




Figure 18. Ammunition Box and Cover Assembly—Exploded View.




Figure 19. Flexible Chute Assembly—Partially Exploded View.




Figure 20. Chute Brace Assembly—Exploded View.




Figure 21. Ammunition Can Assembly—Partially Exploded View.






Figure 22. Mount Assembly M24—Exploded View—Left Side Shown.




WE 68951

Figure 23. Rear Ramp Mount Assembly M41—
Exploded View.




WE 10508

Figure 24. Combination Screwdriver and Reamer Wrench—
Exploded View.



WE 68958

Figure 25. Tools and Equipment (sheet 1 of 2).



WE 68959

Figure 25. Tools and Equipment (sheet 2 of 2).

By Order of the Secretary of the Army:

Official:

VERNE L. BOWERS,
Major General, United States Army,
The Adjutant General.

Distribution:

To be distributed in accordance with DA Form 12-31, (qty rqr block no. 160) Organizational maintenance requirements for 7.62-MM Machine Gun, Door Mounted, M23, M24, Ramp Mounted, M41.

W. C. WESTMORELAND,
General, United States Army,
Chief of Staff.

U.S. GOVERNMENT PRINTING OFFICE: 1977-2 41-882/5457B